


LG-4004

Wall Recessed Steplight LED



Project Information:

Project Name:

Fixture Type:

Location:

HARMONY

The Harmony LED Plaster Recessed Light

Revolutionary Plaster light fixture which allows for a truly seamless and trimless installation. Our fixtures are paintable and texturable using standard paint and paint colors.

LED lighting engine is high performance, low power that provides outstanding reliability and color quality/consistency. 2700K, 3000K color temperatures are available with 90 CRI.

- Life Rated for 40,000 hours at 70% lumen maintenance
- All testing reports are based on published industry procedures
- For best results, do not paint the inside of the fixture. If painting is necessary we recommend using a spraying technique. Painting with a brush will reveal brush strokes when illuminated.

Quick Info



Application New Construction / Remodeling	
Delivered Lumens 80 lm (1W)	Color Quality 90 CRI, 2-step SDCM
Color Temperature 2700K 3000K	Light Distribution Stairway Pathway
Input Voltage 3V DC (Remote power supply)	Dimming TRIAC
Trims Gypsum Flangeless (seamless)	
Housing Ratings N/A	Module Ratings Wet Location
Guarantee 40,000 hrs 3 years	Additional Dimming Options 0-10 / DALI Dimming / Lutron EcoSystem

LG-4004

Wall Recessed Steplight LED

Project Information:	Project Name:
Fixture Type:	Location:

Ordering Guide

PRODUCT CODE

LG - 4004

MODEL

☐ CL2-MR11 - 80 LUM

COLOR TEMPERATURE

☐ 27K - 2700K

☐ 30K - 3000K (STANDARD)

CRI

☐ 90 - 90 CRI

BEAM SPREAD

☐ 38 °

Example Number

LG-4004 CL2-MR11 30K 90 38 T

Order Number

LG-4004 CL2-MR11 ____ 90 38 ____

DIMMING OPTION (Excluded from price)*

☐ T - Triac (STANDARD)

☐ 0 - 10

☐ D - Dali

☐ Eco - Hi-lume Premier 0.1% EcoSystem LED driver with soft-on, fade-to-black dimming technology

* REQUIRED - Zone schedule, please include in your request how many lights on each switch leg.

EXAMPLE:


Switch Leg	Fixture Qty
1	12
2	8
3	9
4	5

LG-4004

Wall Recessed Steplight LED


Project Information:	Project Name:
Fixture Type:	Location:

TRIAC Dim Optional Layout



*SR-312 carries a load of 2-5 fixtures

DALI/ECO Dim Optional Layout



* Carries a load of 4-16 fixtures

0-10 Dim Optional Layout

