




LG-4014

Medium Wall Washer LED

Project Information:	Project Name:
Fixture Type:	Location:



HARMONY

The Harmony LED Plaster Recessed Light

Revolutionary Plaster light fixture which allows for a truly seamless and trimless installation. Our fixtures are paintable and texturable using standard paint and paint colors.

LED lighting engine is high performance, low power that provides outstanding reliability and color quality/consistency. 2700K, 3000K color temperatures are available with 90 CRI.

- Life Rated for 40,000 hours at 70% lumen maintenance
- All testing reports are based on published industry procedures
- For best results, do not paint the inside of the fixture. If painting is necessary we recommend using a spraying technique. Painting with a brush will reveal brush strokes when illuminated.

Quick Info



Application New Construction / Remodeling	
Delivered Lumens 340 lm (3W)	Color Quality 90 CRI, 2-step SDCM
Color Temperature 2700K 3000K	Light Distribution Stairway Pathway
Input Voltage 9V DC (Remote power supply)	Dimming TRIAC
Trims Gypsum Flangeless (seamless)	
Housing Ratings N/A	Module Ratings Damp Location
Guarantee 40,000 hrs 3 years	Additional Dimming Options 0-10 / DALI Dimming / Lutron EcoSystem

LG-4014

Medium Wall Washer LED

Project Information:	Project Name:
Fixture Type:	Location:

Ordering Guide

PRODUCT CODE

LG - 4014

MODEL

☐ CL2-3MR - 340 LUM

COLOR TEMPERATURE

☐ 27K - 2700K

☐ 30K - 3000K (STANDARD)

CRI

☐ 90 - 90 CRI

BEAM SPREAD

☐ 38°

DIMMING OPTION (Excluded from price)*

☐ T - Triac (STANDARD)

☐ 0 - 10

☐ D - Dali

☐ Eco - Hi-lume Premier 0.1% EcoSystem LED driver with soft-on, fade-to-black dimming technology

Example Number

LG-4014 CL2-3MR 30K 90 38 T

Order Number

LG-4014 CL2-MR11 ____ 90 38 ____

* REQUIRED - Zone schedule, please include in your request how many lights on each switch leg.


EXAMPLE:

Switch Leg	Fixture Qty
1	12
2	8
3	9
4	5

LG-4014
Medium Wall Washer LED

Project Information:	Project Name:
Fixture Type:	Location:

Optional Layout



LG-4014

Medium Wall Washer LED

Project Information:


Project Name:

Fixture Type:

Location:

TRIAC Dimming Diagram

LG-4013 • LG-4014 • LG-4015




- LG-4013: SR312 carries a load of 2-5 fixtures
- LG-4014 & LG-4015: SR312 carries a load of 1 fixture

LG-4014

Medium Wall Washer LED

Project Information:	Project Name:
Fixture Type:	Location:

DALI/ECO Dim Optional Layout



* Carries a load of 2-5 fixtures

0-10 Dimming Option

