

# LG-5008

## Aluminum Track for Plaster



Project Information:	Project Name:
Fixture Type:	Location:



## KNIFE EDGE

### Invisible Track Light System - for Plaster


Revolutionary Knife Edge invisible track light rail system. This versatile track system is field cuttable and can be used to finish drywall, wood or a combination of drywall and wood. Optional spot head lighting attachments for Knife Edge have a full range of mobility and are field changeable, allowing for placement adjustments throughout the rail system.

Optional LED lighting engine is high performance, low power that provides outstanding reliability and color quality/consistency. 2700K, 3000K, 3500K, 4000K color temperatures are available with 95 CRI. Warm dim and tunable white LEDs are also available.


- Applications: track lighting, cove lighting, finishes for drop ceiling and soffit ceilings
- Fixtures are offered with a choice of spot, narrow flood or flood beam pattern
- Life Rated for 40,000 hours at 70% lumen maintenance
- All testing reports are based on published industry procedures




## AVAILABLE PROFILES




5008  
Linear




5008A  
3" Opening



5008B  
6" Opening



5008C  
Inside Corner



5008D  
Outside Corner

## PRODUCT FEATURES

- Revolutionary flush mounted trimless & seamless design which offers consistent aesthetics
- Aluminum profile available in black and white color
- Easy installation for new construction and remodel applications
- Pre-made end caps, 3" or 6" inch opening "U" shapes available
- Pre-made corners, inside and outside
- Environmentally Friendly
- Rail can be used for architectural details
- Applications: Cove lighting, Edge Lighting, Custom pockets for HVAC, Tracks, Cameras, etc.
- Finishes for Drop ceilings, Soffit ceilings
- Field cuttable. Tightly secure flat side down. Use a high RPM fine toothed table saw to cut.
- Damp Location Rated



# LG-5008

## Aluminum Track for Plaster

Project Information:	Project Name:
Fixture Type:	Location:

## Ordering Guide

### LINEAR PROFILE

- ☐ LG - 5008 - 6.5' length\*

### GAP PROFILE

- ☐ 5008A - 3" Gap Profile
- ☐ 5008B - 6" Gap Profile

### CORNER PROFILE

- ☐ 5008C - Inside Corner Profile
- ☐ 5008D - Outside Corner Profile

### PROFILE COLOR

- ☐ WH - White
- ☐ BL - Black

### Example Number


LG-5008 QTY 6  
5008A QTY 2 5008B QTY     
5008C QTY 1 5008D QTY 1  
BL  
LG-5008-6 5008A-2 5008C-1 5008D-1 BL

### Order Number

LG-5008 QTY     
5008A QTY    5008B QTY     
5008C QTY    5008D QTY     
    
LG-5008- 5008A- 5008B- 5008C- 5008D-   

\*You will need to order one length per side for a channel  
You only need to order one side for drop or soffit ceiling

OPTIONAL ELECTRICIFIED CHANNEL AVAILABLE, SEE **LG-5008E** / **LG-5008F** SPEC SHEETS FOR MORE DETAIL



# LG-5008

## Aluminum Track for Plaster

Project Information:	Project Name:
Fixture Type:	Location:

### Cove Lighting/Wall Wash

