


RM-D35-125

Round Surface Mount



| | |
|----------------------|---------------|
| Project Information: | Project Name: |
| Fixture Type: | Location: |

RONDO

Round Surface Mount Ceiling Light

Innovative geometric ceiling light LED. Lighting technology meets precise design. Visual comfort in its purest form. Our Rondo ceiling lights are available recessed, surface mounted or pendant up to 48" wide. Complete with translucent acrylic diffuser for uniform light distribution. Rondo fixtures are powder coated white. Please inquire for custom colors.

LED lighting panel is high performance, low power that provides outstanding reliability and color quality/consistency. 2700K, 3000K, 3500K, 4000K and 6500K color temperatures are available with 90 CRI.

- Life Rated for 40,000 hours at 70% lumen maintenance
- Energy efficient SMD LED
- Easy installation for new construction and remodel applications
- 120/277 V
- Available in 5 different sizes from 13.8" to 48"

Quick Info



| | |
|--|---|
| Application New Construction / Remodeling | |
| Delivered Lumens 1640 lm (25W) / 2880 lm (40W) / 4690 lm (60W) / 10146 (120W) / 15151 (180W) | Color Quality 90 CRI, 2-step SDCM |
| Color Temperature 2700K 3000K 3500K 4000K 6500K | Light Distribution General |
| Input Voltage 120/277V | Dimming 0-10 (Internal driver) |
| Trims Aluminum powder coated | Beam Spread 120° |
| Housing Ratings N/A | Module Ratings ⚡ Damp Location |
| Guarantee 40,000 hrs 3 years | |

RM-D35-125

Round Surface Mount

| | |
|----------------------|---------------|
| Project Information: | Project Name: |
| Fixture Type: | Location: |

Ordering Guide

PRODUCT CODE - DIAMETER

- RM-D35 - (13.8")
- RM-D45 - (17.7")
- RM-D65 - (25.6")
- RM-D95 - (37.4")
- RM-D125 - (48")

COLOR TEMPERATURE

- 27K - 2700K
- 30K - 3000K
- 35K - 3500K
- 40K - 4000K
- 65K - 6500K

DIMMING OPTION

- 0 - 10

* Color

- WH - White
- BL - Black

* Custom color upon request with a minimum order of 50 units

Example Number

RM-D35 40K 0-10 WH

Order Number











_____ 0-10 _____

RM-D35-125

Round Surface Mount

| | |
|----------------------|---------------|
| Project Information: | Project Name: |
| Fixture Type: | Location: |

Sizes and Lumens

| | | | | | | |
|------------------------|---|---|---------------------|-------|-------------|-----|
| code RM-D35 |  |  | light source | lumen | LED color * | CRI |
| | | | 25W LED SMD - 120V | 1640 | 3000K | >90 |
| code RM-D45 |  |  | light source | lumen | LED color * | CRI |
| | | | 40W LED SMD - 120V | 2880 | 3000K | >90 |
| code RM-D65 |  |  | light source | lumen | LED color * | CRI |
| | | | 60W LED SMD - 120V | 4690 | 3000K | >90 |
| code RM-D95 |  |  | light source | lumen | LED color * | CRI |
| | | | 120W LED SMD - 120V | 10146 | 3000K | >90 |
| code RM-D125 |  |  | light source | lumen | LED color * | CRI |
| | | | 180W LED SMD - 120V | 15151 | 3000K | >90 |

*Standard Color Temperature is 3000K - stated Lumens calculated at this temperature.