

# RP-D35-125

## Round Pendant



Project Information:	Project Name:
Fixture Type:	Location:

## RONDO

### Round Pendant Ceiling Light


Innovative geometric ceiling light LED. Lighting technology meets precise design. Visual comfort in its purest form. Our Rondo ceiling lights are available recessed, surface mounted or pendant up to 48" wide. Complete with translucent acrylic diffuser for uniform light distribution. Rondo fixtures are powder coated white. Please inquire for custom colors.

LED lighting panel is high performance, low power that provides outstanding reliability and color quality/consistency. 2700K, 3000K, 3500K, 4000K, 5000K and 6500K color temperatures are available with 90 CRI.

- Life Rated for 40,000 hours at 70% lumen maintenance
- Energy efficient LED
- Easy installation for new construction and remodel applications
- 120/277 V
- Available in 5 different sizes from 13.8" to 48"

## Quick Info



<b>Application</b> New Construction / Remodeling	
<b>Delivered Lumens</b> 1640 lm (25W) / 2880 lm (40W) / 4690 lm (60W) / 10146 (120W) / 15151 (180W)	<b>Color Quality</b> 90 CRI, 2-step SDCM
<b>Color Temperature</b> 2700K 5000K 3000K 6500K 3500K 4000K	<b>Light Distribution</b> General
<b>Input Voltage</b> 120/277V	<b>Dimming</b> 0-10 (Internal driver)
<b>Trims</b> Aluminum powder coated	<b>Beam Spread</b> 120°
<b>Housing Ratings</b> N/A	<b>Module Ratings</b>  Damp Location
<b>Guarantee</b> 40,000 hrs   3 years	

# RP-D35-125

## Round Pendant

Project Information:	Project Name:
Fixture Type:	Location:

## Ordering Guide

### PRODUCT CODE - DIAMETER

- ☐ RP-D35 - (13.8")
- ☐ RP-D45 - (17.7")
- ☐ RP-D65 - (25.6")
- ☐ RP-D95 - (37.4")
- ☐ RP-D125 - (48")

### COLOR TEMPERATURE

- ☐ 27K - 2700K
- ☐ 30K - 3000K
- ☐ 35K - 3500K
- ☐ 40K - 4000K
- ☐ 50K - 5000K
- ☐ 65K - 6500K

### DIMMING OPTION

- ☐ 0 - 10

### \* Color

- ☐ WH - White
- ☐ BL - Black

### Example Number

RP-D35 40K 0-10 WH

### Order Number

\_\_\_\_\_ 0-10 \_\_\_\_\_











\* Custom color upon request with a minimum order of 50 units

# RP-D35-125

## Round Pendant

Project Information:	Project Name:
Fixture Type:	Location:

## Sizes and Lumens

code			light source	lumen	LED color *	CRI
<b>RP-D35</b>	Ø 13.8"	4.5"	25W LED SMD - 120V	1640	3000K	>90
code			light source	lumen	LED color *	CRI
<b>RP-D45</b>	Ø 17.7"	4.5"	40W LED SMD - 120V	2880	3000K	>90
code			light source	lumen	LED color *	CRI
<b>RP-D65</b>	Ø 25.6"	4.5"	60W LED SMD - 120V	4690	3000K	>90
code			light source	lumen	LED color *	CRI
<b>RP-D95</b>	Ø 37.4"	4.5"	120W LED SMD - 120V	10146	3000K	>90
code			light source	lumen	LED color *	CRI
<b>RP-D125</b>	Ø 48.0"	4.5"	180W LED SMD - 120V	15151	3000K	>90

\*Standard Color Temperature is 3000K - stated Lumens calculated at this temperature.