
## **RQM-D35-120**

### **Square Surface Mount**





Project Information:	Project Name:
Fixture Type:	Location:

## **RONDO**

#### Square Surface Mount Ceiling Light

Innovative geometric ceiling light LED. Lighting technology meets precise design. Visual comfort in its purest form. Our Rondo ceiling lights are available recessed, surface mounted or pendant up to 48" wide. Complete with translucent acrylic diffuser for uniform light distribution. Rondo fixtures are powder coated white. Please inquire for custom colors.

LED lighting panel is high performance, low power that provides outstanding reliability and color quality/consistency. 2700K, 3000K, 3500K, 4000K, 5000K and 6500K color temperatures are available with 90 CRI.

- Life Rated for 40,000 hours at 70% lumen maintenance
- Energy efficient LED
- Easy installation for new construction and remodel applications
- 120/277 V
- Available in 5 different sizes from 13.8" to 48"

#### LUTRON OEM ADVANTAGE



## Quick Info

Application			
New Construction / Remodeling			
Delivered Lumens	Color Quality		
1700 lm (25W) / 3023 lm (40W) / 4700 lm (60W) / 9600 (120W) / 4700 (60W)	90 CRI, 2-step SDCM		
Color Temperature	Light Distribution		
2700K 5000K 3000K 6500K 3500K 4000K	General		
Input Voltage	Dimming		
120/277V	0-10 (Internal driver)		
Trims Aluminum powder coated	Beam Spread 120°		
Housing Ratings	Module Ratings		
N/A	Damp Location		
Guarantee 40,000 hrs   3 years			

# **RQM-D35-120**

### **Square Surface Mount**

Project Information:	Project Name:
Fixture Type:	Location:

# **Ordering Guide**

#### **PRODUCT CODE - DIAMETER**

- RQM-D35 (13.8")
- RQM-D45 (17.7")
- RQM-D60 (23.6")
- RQM-D90 (35.4")
- RQM-D120 (47.2")

#### **COLOR TEMPERATURE**

- □ 27K 2700K
- □ 30K 3000K
- □ 35K 3500K
- **□** 40K 4000K
- □ 50K 5000K
- □ 65K 6500K

#### **DIMMING OPTION**

**a** 0 - 10

#### \* Color

- WH White
- BL Black

#### **Example Number**

RQM-D35 40K 0-10 WH

Order Number

\_\_\_\_\_ 0-10 \_\_\_\_



<sup>\*</sup> Custom color upon request with a minimum order of 50 units

# **RQM-D35-120**

### **Square Surface Mount**

Project Information:	Project Name:
Fixture Type:	Location:

## Sizes and Lumens

code			light source	lumen	LED color*	CRI
RQM-D35	13.8"	4.5"	25W LED SMD - 120V	1700	3000K	>90
	13.8"					
code			light source	lumen	LED color*	CRI
RQM-D45	17.7"	4.5"	40W LED SMD - 120V	3023	3000K	>90
	17.7"					
code		. <u> </u>	light source	lumen	LED color*	CRI
RQM-D60	23.6"	4.5"	60W LED SMD - 120V	4700	3000K	>90
	23.6"					
code			light source	lumen	LED color*	CRI
RQM-D90	35.4"	4.5"	120W LED SMD - 120V	9600	3000K	>90
	35.4"					
code		. <u> </u>	light source	lumen	LED color*	CRI
RQM-D120	11.8"	4.5"	60W LED SMD - 120V	4700	3000K	>90
	47.2"	*Standard Color Temperature is 30	<b>OOK -</b> stated Lumens ca	lculated	l at this tem	neratur
		ctandard color formporatare is co	Julio Edinons Ca	odiatoo	at this ton	poratai

<sup>\*</sup>Standard Color Temperature is 3000K - stated Lumens calculated at this temperature.

