


# RQSM-D35-120

## Soft Edge Square Surface Mount



Project Information:	Project Name:
Fixture Type:	Location:

## RONDO

### Soft Edge Square Surface Mount Ceiling Light

Innovative geometric ceiling light LED. Lighting technology meets precise design. Visual comfort in its purest form. Our Rondo ceiling lights are available recessed, surface mounted or pendant up to 48" wide. Complete with translucent acrylic diffuser for uniform light distribution. Rondo fixtures are powder coated white. Please inquire for custom colors.

LED lighting panel is high performance, low power that provides outstanding reliability and color quality/consistency. 2700K, 3000K, 3500K, 4000K and 6500K color temperatures are available with 90 CRI.

- Life Rated for 40,000 hours at 70% lumen maintenance
- Energy efficient LED
- Easy installation for new construction and remodel applications
- 120/277 V
- Available in 5 different sizes from 13.8" to 48"

## Quick Info



<b>Application</b> New Construction / Remodeling	
<b>Delivered Lumens</b> 1700 lm (25W) / 3023 lm (40W) / 4700 lm (60W) / 9600 (120W) / 4700 (60W)	<b>Color Quality</b> 90 CRI, 2-step SDCM
<b>Color Temperature</b> 2700K 3000K 3500K 4000K 6500K	<b>Light Distribution</b> General
<b>Input Voltage</b> 120/277V	<b>Dimming</b> 0-10 (Internal driver)
<b>Trims</b> Aluminum powder coated	<b>Beam Spread</b> 120°
<b>Housing Ratings</b> N/A	<b>Module Ratings</b> ⚡ Damp Location
<b>Guarantee</b> 40,000 hrs   3 years	

# RQSM-D35-120

Soft Edge Square Surface Mount

Project Information:	Project Name:
Fixture Type:	Location:

## Ordering Guide

### PRODUCT CODE - DIAMETER

- RQSM-D35 - (13.8")
- RQSM-D45 - (17.7")
- RQSM-D60 - (23.6")
- RQSM-D90 - (35.4")
- RQSM-D120 - (47.2")

### COLOR TEMPERATURE

- 27K - 2700K
- 30K - 3000K
- 35K - 3500K
- 40K - 4000K
- 65K - 6500K

### DIMMING OPTION

- 0 - 10

### \* Color

- WH - White
- BL - Black

\* Custom color upon request with a minimum order of 50 units

### Example Number

RQSM-D35 40K 0-10 WH

### Order Number

\_\_\_\_\_ 0-10 \_\_\_\_\_

# RQSM-D35-120

## Soft Edge Square Surface Mount

Project Information:	Project Name:
Fixture Type:	Location:

## Sizes and Lumens

code	Diagram	light source	lumen	LED color *	CRI
<b>RQSM-D35</b>	<p>13.8" (height) 13.8" (width) 4.5" (depth)</p>	25W LED SMD - 120V	1700	3000K	>90
<b>RQSM-D45</b>	<p>17.7" (height) 17.7" (width) 4.5" (depth)</p>	40W LED SMD - 120V	3023	3000K	>90
<b>RQSM-D60</b>	<p>23.6" (height) 23.6" (width) 4.5" (depth)</p>	60W LED SMD - 120V	4700	3000K	>90
<b>RQSM-D90</b>	<p>35.4" (height) 35.4" (width) 4.5" (depth)</p>	120W LED SMD - 120V	9600	3000K	>90
<b>RQSM-D120</b>	<p>11.8" (height) 47.2" (width) 4.5" (depth)</p>	60W LED SMD - 120V	4700	3000K	>90

\*Standard Color Temperature is 3000K - stated Lumens calculated at this temperature.