

RQSP-D35-120

Soft Edge Square Pendant





Project Information: Project Name: Fixture Type: Location:

RONDO

Soft Edge Square Pendant Ceiling Light

Innovative geometric ceiling light LED. Lighting technology meets precise design. Visual comfort in its purest form. Our Rondo ceiling lights are available recessed, surface mounted or pendant up to 48" wide. Complete with translucent acrylic diffuser for uniform light distribution. Rondo fixtures are powder coated white. Please inquire for custom colors.

LED lighting panel is high performance, low power that provides outstanding reliability and color quality/consistency. 2700K, 3000K, 3500K, 4000K, 5000K, and 6500K color temperatures are available with 90 CRI.

- Life Rated for 40,000 hours at 70% lumen maintenance
- Energy efficient LED
- · Easy installation for new construction and remodel applications
- 120/277 V
- Available in 5 different sizes from 13.8" to 48"



Quick Info

Application

Delivered Lumens	Color Quality
1700 lm (25W) / 3023 lm (40W) / 4700 lm (60W) / 9600 (120W) / 4700 (60W)	90 CRI, 2-step SDCM
Color Temperature	Light Distribution
2700K 5000K	General
3000K 6500K	
3500K	
4000K	
Input Voltage	Dimming
120/277V	0-10 (Internal driver)
Trims	Beam Spread
Aluminum powder coated	120°
Housing Ratings	Module Ratings
N/A	Damp Location
Guarantee	
40,000 hrs 3 years	



RQSP-D35-120

Soft Edge Square Pendant

Project Information:	Project Name:
Fixture Type:	Location:

Ordering Guide

PRODUCT CODE - DIAMETER

- **RQSP-D35 (13.8")**
- **RQSP-D45 (17.7")**
- **RQSP-D60 (23.6")**
- □ RQSP-D90 (35.4")
- **RQSP-D120 (47.2")**

COLOR TEMPERATURE

- **D** 27K 2700K
- **D** 30K 3000K
- **D** 35K 3500K
- **40K 4000K**
- **D** 50K 5000K
- □ 65K 6500K

DIMMING OPTION

D 0 - 10

* Color

- WH White
- BL Black

* Custom color upon request with a minimum order of 50 units

Example Number

RQSP-D35 40K 0-10 WH

Order Number



RQSP-D35-120

Soft Edge Square Pendant

Project Information:	Project Name:
Fixture Type:	Location:

Sizes and Lumens

