


RQSR-D35-120

Soft Edge Square Recessed



Project Information:	Project Name:
Fixture Type:	Location:

RONDO

Soft Edge Square Recessed Ceiling Light

Innovative geometric ceiling light LED. Lighting technology meets precise design. Visual comfort in its purest form. Our Rondo ceiling lights are available recessed, surface mounted or pendant up to 48" wide. Complete with translucent acrylic diffuser for uniform light distribution. Rondo fixtures are powder coated white. Please inquire for custom colors.

LED lighting panel is high performance, low power that provides outstanding reliability and color quality/consistency. 2700K, 3000K, 3500K, 4000K and 6500K color temperatures are available with 90 CRI.

- Life Rated for 40,000 hours at 70% lumen maintenance
- Energy efficient LED
- Easy installation for new construction and remodel applications
- 120/277 V
- Available in 5 different sizes from 13.8" to 48"

Quick Info



Application New Construction / Remodeling	
Delivered Lumens 1700 lm (25W) / 3023 lm (40W) / 4700 lm (60W) / 9600 (120W) / 4700 (60W)	Color Quality 90 CRI, 2-step SDCM
Color Temperature 2700K 3000K 3500K 4000K 6500K	Light Distribution General
Input Voltage 120/277V	Dimming 0-10 (Internal driver)
Trims Aluminum powder coated	Beam Spread 120°
Housing Ratings N/A	Module Ratings ⚡ Damp Location
Guarantee 40,000 hrs 3 years	

RQSR-D35-120

Soft Edge Square Recessed

Project Information:	Project Name:
Fixture Type:	Location:

Ordering Guide

PRODUCT CODE - DIAMETER

- RQSR-D35 - (13.8")
- RQSR-D45 - (17.7")
- RQSR-D60 - (23.6")
- RQSR-D90 - (35.4")
- RQSR-D120 - (47.2")

COLOR TEMPERATURE

- 27K - 2700K
- 30K - 3000K
- 35K - 3500K
- 40K - 4000K
- 65K - 6500K

DIMMING OPTION

- 0 - 10

* Color

- WH - White
- BL - Black

* Custom color upon request with a minimum order of 50 units

Example Number

RQSR-S35 40K 0-10 WH

Order Number











_____ 0-10 _____

RQSR-D35-120

Soft Edge Square Recessed

Project Information:	Project Name:
Fixture Type:	Location:

Sizes and Lumens

code <u>RQR-D35</u>			light source 25W LED SMD - 120V	lumen 1700	LED color * 3000K	CRI >90
code <u>RQR-D45</u>			light source 40W LED SMD - 120V	lumen 3023	LED color * 3000K	CRI >90
code <u>RQR-D60</u>			light source 60W LED SMD - 120V	lumen 4700	LED color * 3000K	CRI >90
code <u>RQR-D90</u>			light source 120W LED SMD - 120V	lumen 9600	LED color * 3000K	CRI >90
code <u>RQR-D120</u>			light source 60W LED SMD - 120V	lumen 4700	LED color * 3000K	CRI >90

*Standard Color Temperature is 3000K - stated Lumens calculated at this temperature.