


RQSR-D35-120

Soft Edge Square Recessed



Quick Info

Project Information:	Project Name:
Fixture Type:	Location:

RONDO


Soft Edge Square Recessed Ceiling Light

Innovative geometric ceiling light LED. Lighting technology meets precise design. Visual comfort in its purest form. Our Rondo ceiling lights are available recessed, surface mounted or pendant up to 48" wide. Complete with translucent acrylic diffuser for uniform light distribution. Rondo fixtures are powder coated white. Please inquire for custom colors.

LED lighting panel is high performance, low power that provides outstanding reliability and color quality/consistency. 2700K, 3000K, 3500K, 4000K, 5000K and 6500K color temperatures are available with 90 CRI.

- Life Rated for 40,000 hours at 70% lumen maintenance
- Energy efficient LED
- Easy installation for new construction and remodel applications
- 120/277 V
- Available in 5 different sizes from 13.8" to 48"



Application New Construction / Remodeling	
Delivered Lumens 1700 lm (25W) / 3023 lm (40W) / 4700 lm (60W) / 9600 (120W) / 4700 (60W)	Color Quality 90 CRI, 2-step SDCM
Color Temperature 2700K 5000K 3000K 6500K 3500K 4000K	Light Distribution General
Input Voltage 120/277V	Dimming 0-10 (Internal driver)
Trims Aluminum powder coated	Beam Spread 120°
Housing Ratings N/A	Module Ratings  Damp Location
Guarantee 40,000 hrs 3 years	

RQSR-D35-120

Soft Edge Square Recessed

Project Information:	Project Name:
Fixture Type:	Location:

Ordering Guide

PRODUCT CODE - DIAMETER

- ☐ RQSR-D35 - (13.8")
- ☐ RQSR-D45 - (17.7")
- ☐ RQSR-D60 - (23.6")
- ☐ RQSR-D90 - (35.4")
- ☐ RQSR-D120 - (47.2")

COLOR TEMPERATURE

- ☐ 27K - 2700K
- ☐ 30K - 3000K
- ☐ 35K - 3500K
- ☐ 40K - 4000K
- ☐ 50K - 5000K
- ☐ 65K - 6500K

DIMMING OPTION

- ☐ 0 - 10

* Color

- ☐ WH - White
- ☐ BL - Black

* Custom color upon request with a minimum order of 50 units

Example Number

RQSR-S35 40K 0-10 WH

Order Number











_____ 0-10 _____

RQSR-D35-120

Soft Edge Square Recessed

Project Information:	Project Name:
Fixture Type:	Location:

Sizes and Lumens

code RQR-D35			light source	lumen	LED color *	CRI
			25W LED SMD - 120V	1700	3000K	>90
code RQR-D45			light source	lumen	LED color *	CRI
			40W LED SMD - 120V	3023	3000K	>90
code RQR-D60			light source	lumen	LED color *	CRI
			60W LED SMD - 120V	4700	3000K	>90
code RQR-D90			light source	lumen	LED color *	CRI
			120W LED SMD - 120V	9600	3000K	>90
code RQR-D120			light source	lumen	LED color *	CRI
			60W LED SMD - 120V	4700	3000K	>90

*Standard Color Temperature is 3000K - stated Lumens calculated at this temperature.