



# SWAP




# INDEX

## BASE



PLASTER BASE  
LG-6000/1  
P.16



PLASTER BASE  
DOUBL  
LG-6000/2  
P.19

## Embedded



DOWNLIGHT  
10W  
LG-6002  
P.20



WALLWASHER  
10W  
LG-6003  
P.22

## Surface



PANEL  
10W  
LG-6028  
P.25



PANEL  
24W  
LG-6038  
P.26

## Surface adjustment



WALLWASHER  
LG-6004  
P.29



FOCUSING  
LG-6005  
P.30



ADJUST LINE  
LG-6010  
P.32

# INDEX

## Surface adjustment



ADJUST LINE  
LG-6011  
P.34



ADJUST LINE  
LG-6012  
P.36



WALLWASHER  
LG-6006  
P.38



WALLWASHER  
LG-6007  
P.40



WALLWASHER  
LG-6008  
P.42



LINE  
LG-6021  
P.44



LINE  
LG-6022  
P.46



LINE  
LG-6023  
P.48



SPOTLIGHT  
LG-6016  
P.50



SPOTLIGHT  
LG-6017  
P.56



SPOTLIGHT  
LG-6018  
P.53



SPOTLIGHT  
LG-6019  
P.55

# INDEX

## Surface adjustment



SPOTLIGHT  
LG-6020  
P.58



SPOTLIGHT  
LG-6029  
P.59



SPOTLIGHT  
LG-6030  
P.62

## Hoisting



PENDANT  
LG-6013  
P.64




PENDANT LINE  
LG-6024  
P.65



WALLWASHER  
LG-6009  
P.67



PENDANT  
UP&DOWN  
LG-6027  
P.69



PENDANT  
UP&DOWN  
LG-6026  
P.71



PENDANT  
WALLWASHER  
UP&DOWN  
LG-6025  
P.74



LINE  
LG-6014  
P.76



LINE  
LG-6015  
P.77



PENDANT  
LG-6031  
P.80

# INDEX

## Hoisting



PENDANT  
LG-6032  
P.82



PENDANT  
LG-6033  
P.83



PENDANT  
LG-6034  
P.86



PENDANT  
LG-6035  
P.88



PENDANT  
LG-6036  
P.90



PENDANT  
LG-6037  
P.92

## ABOUT SWAP

Our innovative system features a unique 1.26" hole design that accommodates a variety of products including downlights, chandeliers, ceiling lights, and spotlights.

This versatile system is suitable for diverse settings and can be customized in an array of colors. In the future, we plan to expand our product range beyond just lighting fixtures. With this system, more items can be conveniently mounted on the ceiling, creating a streamlined and cohesive space.





**1.FOCUSING**

**2.SPOTLIGHT**

**3.DOWNLIGHT**

**4.WALLWASHER**

**5.PANEL**







- 1.WALLWASHER LINE
- 2.SPOTLIGHT LINE
- 3.LINE PANEL
- 4.PENDANT  
WALLWASHER
- 5.PENDANT  
SPOTLIGHT
- 6.PENDANT LINE
- 7.WALLWASHER  
UP&DOWN
- 8.SPOTLIGHT  
UP&DOWN
- 9.PENDANT  
UP&DOWN





1.PENDANT


2.LINE



1




1. The gypsum lamp body seamlessly integrates with the ceiling post-installation.
2. Heat is dissipated through contact with the heat sink within the lamp body.
3. A heat sink assists in dissipating excess heat from the lamp.
4. The circuit board facilitates the external 48v power supply to power the lamp body.
5. Telescopic components allow for adjustable height settings.
6. A lamp protection shell encases the lamp for added durability.



## SWAP CONTROL TYPE

All modules are powered by 48V constant voltage power supply .  
There are four control type for this system.




- 1.The 0-10V driver needs to connect "D+" and "D-" to 0-10v controller.
- 2.The converntional driver and zigbee driver do not need to connect "D+" and "D-".

## The ZigBee connection control type







### The 0-10V & DALI connection control type



## The conventional connection control type







# SWAP PLASTER BASE

The cornerstone of the SWAP collection is the plaster base, which conveniently houses all fittings in one easy-to-access location

## Product Specifications:

Item code: LG-6000/1


Voltage: 48V DC


Material: Aluminum/PC/Plaster

Dimensions: 5.11"x5.11"x3.89"

Weight: 0.26kg

Color: White









## SWAP PLASTER BASE

The cornerstone of the SWAP collection is the plaster base, which conveniently houses all fittings in one easy-to-access location

### Product Specifications:



Item code: LG-6000/2

Voltage: 48V DC

Material: Aluminum/PC/Plaster

Dimensions: 8.66"x5.11"x3.89"

Color: White






# SWAP DOWNLIGHT

Choose from a range of angles with the versatile downlight. The lamp body efficiently conducts heat to the base, allowing for a maximum power of 10w in a compact 31mm diameter design.



∅1.22"



3.58"

## Product Specifications:

Item code: LG-6002

Voltage: 48V DC

POWER: 10W

Material: Aluminium

Angle: 15°/24°/36°/60°

Color temperature: 2700K/3000K/4000K/5000K

Dimensions: ∅1.22"x3.58"

Color: White\Black\Gold\Silver\Grey







# SWAP WALLWASHER

The wallwasher is designed to provide focused illumination on a specific area of the wall. The lamp body efficiently conducts heat to the base, allowing for a maximum power output of 10W with a compact diameter of just 31mm.

## Product Specifications:

Item code: LG-6003

Voltage: 48V DC


POWER: 10W

Material: Aluminum


Color temperature: 2700K/3000K/4000K/5000K

Dimensions:  $\varnothing$ 1.22"x3.66"

Color: White\Black\Gold\Silver\Grey



$\varnothing$  1.22"



3.66"





# SWAP PANEL

The panel light is equipped with double-layer optical panels to create a softer and more comfortable lighting experience. Its main body is constructed from durable aluminum for long-lasting quality.

## Product Specifications:

Item code: LG-6028

Voltage: 48V DC

POWER: 10W



Material: Aluminum/PC

Angle: 60°

Color temperature: 2700K/3000K/4000K/5000K

Dimensions:  $\varnothing 3.94'' \times 4.25''$

Color: White\Black\Gold\Silver\Grey



# SWAP PANEL

The panel light is equipped with double-layer optical panels to create a softer and more comfortable lighting experience. Its main body is constructed from durable aluminum for long-lasting quality.

## Product Specifications:

Item code: LG-6038

Voltage: 48V DC

POWER: 24W



Material: Aluminum/PC

Angle: 60°

Color temperature: 2700K/3000K/4000K/5000K

Dimensions:  $\varnothing 7.87'' \times 4.76''$


Color: White\Black\Gold\Silver\Grey











## SWAP WALLWASHER

The wallwasher is designed to illuminate a wide area of the wall. Its adjustable light direction allows for precise positioning, ensuring that the entire wall is evenly and effectively illuminated.

### Product Specifications:

Item code: LG-6004

Voltage: 48V DC


POWER: 10W

Material: Aluminum

Color temperature: 2700K/3000K/4000K/5000K

Dimensions:  $\varnothing$ 2.07"x4.33"

Color: White\Black\Gold\Silver\Grey





## SWAP FOCUSING

The adjustable focusing spotlight can vary its angle from 15° to 48°. It has the ability to rotate 355° horizontally and tilt up to 90° vertically, providing flexibility in directing the light beam to different areas as needed.

### Product Specifications:

Item code: LG-6005

Voltage: 48V DC

POWER: 18W


Material: Aluminum/PMMA


Angle: 15°~48°

Color temperature: 2700K/3000K/4000K/5000K

Dimensions: 7.68"x $\phi$ 3.74"x2.05"

Color: White\Black\Gold\Silver\Grey





# SWAP ADJUST LINE

The adjustable line offers a 355° rotation and a vertical angle of 90° providing a range of angle options for flexibility. Crafted from aluminum, the main body ensures durability while offering high visual comfort for users.

## Product Specifications:

Item code: LG-6010

Voltage: 48V DC

POWER: 6W


Material: Aluminum/PC


Angle: 15°/24°/36°/60°

Color temperature: 2700K/3000K/4000K/5000K

Dimensions: 4.37" x 1.22" x 5.31"

Color: White\Black\Gold\Silver\Grey







## SWAP ADJUST LINE

The adjustable line offers a 355° rotation and a vertical angle of 90° providing a range of angle options for flexibility. Crafted from aluminum, the main body ensures durability while offering high visual comfort for users.

### Product Specifications:

Item code: LG-6011

Voltage: 48V DC

POWER: 12W


Material: Aluminum/PC


Angle: 15°/24°/36°/60°

Color temperature: 2700K/3000K/4000K/5000K

Dimensions: 8.62" x 1.22" x 5.31"

Color: White\Black\Gold\Silver\Grey







# SWAP ADJUST LINE

The adjust line using high-quality components to make UGR < 13. The adjust line has a variety of angle options. Main body made of aluminum. High visual comfort.

## Product Specifications:

Item code: LG-6012

Voltage: 48V DC

POWER: 24W



Material: Aluminum/PC


Angle: 15°/24°/36°/60°

Color temperature: 2700K/3000K/4000K/5000K

Dimensions: 42.64" x 1.22" x 5.71"

Color: White\Black\Gold\Silver\Grey





# SWAP WALLWASHER

The wallwasher is designed to illuminate a wide range of wall surfaces. Its adjustable light direction ensures even lighting across the entire wall for a balanced and uniform illumination effect.

## Product Specifications:

Item code: LG-6006

Voltage: 48V DC


POWER: 6W

Material: Aluminum/PC

Color temperature: 2700K/3000K/4000K/5000K

Dimensions: 4.37" x 1.22" x 5.31"

Color: White\Black\Gold\Silver\Grey





# SWAP WALLWASHER

The wallwasher is designed to illuminate a wide range of wall surfaces. Its adjustable light direction ensures even lighting across the entire wall for a balanced and uniform illumination effect.

## Product Specifications:

Item code: LG-6007

Voltage: 48V DC



POWER: 12W


Material: Aluminium/PC

Color temperature: 2700K/3000K/4000K/5000K

Dimensions: 42.64"x1.22"x5.31"

Color: White\Black\Gold\Silver\Grey





# SWAP WALLWASHER

The wallwasher is designed to illuminate a wide range of wall surfaces. Its adjustable light direction ensures even lighting across the entire wall for a balanced and uniform illumination effect.

## Product Specifications:

Item code: LG-6008

Voltage: 48V DC


POWER: 24W

Material: Aluminum/PC

Color temperature: 2700K/3000K/4000K/5000K

Dimensions: 42.64"x $\varnothing$ 1.22"x5.71"

Color: White\Black\Gold\Silver\Grey









## SWAP LINE

The line features a 355° rotation capability and a vertical angle of 90° with its main body crafted from durable aluminum.

### Product Specifications:

Item code: LG-6021

Voltage: 48V DC

POWER: 6W


Material: Aluminum


Angle: 60°

Color temperature: 2700K/3000K/4000K/5000K

Dimensions: 4.37"x0.91"x5.39"

Color: White\Black\Gold\Silver\Grey







## SWAP LINE

The line features a 355° rotation capability and a vertical angle of 90° with its main body crafted from durable aluminum.

### Product Specifications:

Item code: LG-6022

Voltage: 48V DC

POWER: 12W


Material: Aluminum

Angle: 60°

Color temperature: 2700K/3000K/4000K/5000K

Dimensions: 8.62"x0.91"x5.39"

Color: White\Black\Gold\Silver\Grey





# SWAP LINE

The line features a 355° rotation capability and a vertical angle of 90° with its main body crafted from durable aluminum.

## Product Specifications:

Item code: LG-6023

Voltage: 48V DC

POWER: 24W



Material: Aluminum

Angle: 60°

Color temperature: 2700K/3000K/4000K/5000K

Dimensions: 42.64"x0.91"x5.79"

Color: White\Black\Gold\Silver\Grey







# SWAP SPOTLIGHT

The spotlight offers a 355° rotation and a vertical angle of 90° providing various angle options. Its main body is constructed from aluminum, ensuring durability.

## Product Specifications:

Item code: LG-6016

Voltage: 48V DC

POWER: 6W


Material: Aluminum

Angle: 15°/24°/36°/60°

Color temperature: 2700K/3000K/4000K/5000K

Dimensions: 4.33" x 1.57"

Color: White\Black\Gold\Silver\Grey









# SWAP SPOTLIGHT

The spotlight offers a 355° rotation and a vertical angle of 90° providing various angle options. Its main body is constructed from aluminum, ensuring durability.

## Product Specifications:

Item code: LG-6018

Voltage: 48V DC

POWER: 15W


Material: Aluminum

Angle: 15°/24°/36°/60°

Color temperature: 2700K/3000K/4000K/5000K

Dimensions: 4.72"x $\varnothing$ 2.36"

Color: White\Black\Gold\Silver\Grey





# SWAP SPOTLIGHT

The spotlight offers a 355° rotation and a vertical angle of 90° providing various angle options. Its main body is constructed from aluminum, ensuring durability.

## Product Specifications:

Item code: LG-6019

Voltage: 48V DC

POWER: 24W


Material: Aluminum

Angle: 15°/24°/36°/60°

Color temperature: 2700K/3000K/4000K/5000K

Dimensions: 6.69"x $\varnothing$ 2.36"

Color: White\Black\Gold\Silver\Grey





## SWAP SPOTLIGHT

The spotlight offers a 355° rotation and a vertical angle of 90° providing various angle options. Its main body is constructed from aluminum, ensuring durability.

### Product Specifications:

Item code: LG-6017

Voltage: 48V DC

POWER: 8W


Material: Aluminum

Angle: 15°/24°/36°/60°

Color temperature: 2700K/3000K/4000K/5000K

Dimensions: 5.11" x  $\varnothing$ 1.57"

Color: White\Black\Gold\Silver\Grey





# SWAP SPOTLIGHT

The spotlight offers a 355° rotation and a vertical angle of 90° providing various angle options. Its main body is constructed from aluminum, ensuring durability.

## Product Specifications:

Item code: LG-6020

Voltage: 48V DC

POWER: 35W


Material: Aluminum



Angle: 15°/24°/36°/60°

Color temperature: 2700K/3000K/4000K/5000K

Dimensions: 7.08" x 3.35"

Color: White\Black\Gold\Silver\Grey





## SWAP SPOTLIGHT

The spotlight offers a 355° rotation and a vertical angle of 90° providing various angle options. Its main body is constructed from aluminum, ensuring durability.

### Product Specifications:

Item code: LG-6029

Voltage: 48V DC

POWER: 8W

Material: Aluminum

Angle: 15°/24°/36°/60°

Color temperature: 2700K/3000K/4000K/5000K

Dimensions: 19.69" x 1.57"

Color: White\Black\Gold\Silver\Grey









# SWAP SPOTLIGHT

The spotlight offers a 355° rotation and a vertical angle of 90° providing various angle options. Its main body is constructed from aluminum, ensuring durability.

## Product Specifications:

Item code: LG-6030

Voltage: 48V DC

POWER: 8W


Material: Aluminum


Angle: 15°/24°/36°/60°


Color temperature: 2700K/3000K/4000K/5000K

Dimensions: 31.50" x  $\varnothing$  1.57"

Color: White\Black\Gold\Silver\Grey







# SWAP PENDANT

Crafted with high-quality components to achieve a UGR<13 rating, the pendant light offers a variety of angle options for customization. Its main body is made of aluminum, providing durability and high visual comfort for users.

## Product Specifications:

Item code: LG-6013

Voltage: 48V DC

POWER: 24W

Material: Aluminum/PC


Angle: 15°/24°/36°/60°

Color temperature: 2700K/3000K/4000K/5000K

Dimensions: 42.64"x0.83"x1.46"

Color: White\Black\Gold\Silver\Grey





## SWAP PENDANT

This pendant light features double-layer optical panels to create a softer and more comfortable lighting experience. The main body is constructed from aluminum for durability and a sleek appearance.

### Product Specifications:

Item code: LG-6024

Voltage: 48V DC

POWER: 24W

Material: Aluminum/PC


Angle: 60°

Color temperature: 2700K/3000K/4000K/5000K

Dimensions: 42.64"x0.91"x1.56"

Color: White\Black\Gold\Silver\Grey







## SWAP WALLWASHER

The wallwasher is designed to provide wide-ranging illumination for walls. Its adjustable light direction ensures that the entire wall is evenly and effectively illuminated.

### Product Specifications:

Item code: LG-6009

Voltage: 48V DC


POWER: 24W

Material: Aluminum/PC


Color temperature: 2700K/3000K/4000K/5000K


Dimensions: 42.64"x0.63"x1.46"

Color: White\Black\Gold\Silver\Grey









## SWAP PENDANT

Crafted with high-quality components to achieve a UGR<13 rating, the pendant light offers a variety of angle options. Its main body is made of aluminum, ensuring durability. The pendant chandelier is designed to shine upwards, providing a stylish and sophisticated lighting solution.

### Product Specifications:

Item code: LG-6027

Voltage: 48V DC

POWER: 24W(Up:12W/Down:12W)


Material: Aluminum/PC


Angle: 15°/24°/36°/60°


Color temperature: 2700K/3000K/4000K/5000K

Dimensions: 42.64"x0.91"x1.56"

Color: White\Black\Gold\Silver\Grey







## SWAP PENDANT

This pendant uses double-layer optical panels to make the light softer and more comfortable. The pendant chandelier sets up a way to shine upwards.

### Product Specifications:

Item code: LG-6026

Voltage: 48V DC

POWER: 24W(Up:12W/Down:12W)

Material: Aluminum/PC


Angle: 60°

Color temperature: 2700K/3000K/4000K/5000K


Dimensions: 42.64"x0.91"x1.56"

Color: White\Black\Gold\Silver\Grey









## SWAP WALLWASHER

The wallwasher can illuminate the wall in a wide range. The wallwasher chandelier sets up a way to shine upwards

### Product Specifications:

Item code: LG-6025

Voltage: 48V DC


POWER: 24W(Up:12W/Down:12W)

Material: Aluminum/PC

Color temperature: 2700K/3000K/4000K/5000K


Dimensions: 42.64"x0.83"x1.46"

Color: White\Black\Gold\Silver\Grey









## SWAP LINE

The line is constructed using high-quality aluminum, ensuring durability and a sleek appearance. The length of the line can be customized to meet our specific requirements.

### Product Specifications:

Item code: LG-6014

Voltage: 48V DC


POWER: 12W


Material: Aluminum

Color temperature: 2700K/3000K/4000K/5000K

Dimensions: 25.39" x  $\varnothing$ 0.57"

Color: White\Black\Gold\Silver\Grey





## SWAP LINE

The line is constructed using high-quality aluminum, ensuring durability and a sleek appearance. The length of the line can be customized to meet our specific requirements.

### Product Specifications:

Item code: LG-6015

Voltage: 48V DC

POWER: 12W

Material: Aluminum

Color temperature: 2700K/3000K/4000K/5000K

Dimensions: 24.49" x 0.57"

Color: White\Black\Gold\Silver\Grey







# SWAP PENDANT

The pendant is processed with high-quality aluminum. There are a variety of colors on the surface that can be combined.

## Product Specifications:

Item code: LG-6031

Voltage: 48V DC

POWER: 5W


Material: Aluminum/PC

Angle: 55°

Color temperature: 2700K/3000K/4000K/5000K

Dimensions:  $\varnothing$ 1.97"x1.85"

Color: White\Black\Gold\Silver\Grey





# SWAP PENDANT

The pendant is processed with high-quality aluminum. There are a variety of colors on the surface that can be combined.

## Product Specifications:

Item code: LG-6032

Voltage: 48V DC

POWER: 5W


Material: Aluminum/PC

Angle: 55°

Color temperature: 2700K/3000K/4000K/5000K

Dimensions:  $\varnothing$ 3.23"x2.76"

Color: White\Black\Gold\Silver\Grey



# SWAP PENDANT

The pendant is processed with high-quality aluminum. There are a variety of colors on the surface that can be combined.

## Product Specifications:

Item code: LG-6033

Voltage: 48V DC

POWER: 5W


Material: Aluminum/PC

Angle: 55°

Color temperature: 2700K/ 3000K/ 4000K/ 5000K


Dimensions:  $\varnothing$ 3.46"x1.97"

Color: White\Black\Gold\Silver\Grey









# SWAP PENDANT

The pendant is processed with high-quality aluminum. There are a variety of colors on the surface that can be combined.

## Product Specifications:

Item code: LG-6034

Voltage: 48V DC

POWER: 5W


Material: Aluminum/PC


Angle: 55°

Color temperature: 2700K/3000K/4000K/5000K

Dimensions:  $\varnothing$ 2.76"x2.95"

Color: White\Black\Gold\Silver\Grey





# SWAP PENDANT

The pendant is processed with high-quality aluminum. There are a variety of colors on the surface that can be combined.

## Product Specifications:

Item code: LG-6035

Voltage: 48V DC

POWER: 8W


Material: Aluminum/PC


Angle: 15°/24°/36°/60°

Color temperature: 2700K/3000K/4000K/5000K

Dimensions:  $\varnothing$ 1.57"x11.81"

Color: White\Black\Gold\Silver\Grey





# SWAP PENDANT

The pendant is processed with high-quality aluminum. There are a variety of colors on the surface that can be combined.

## Product Specifications:

Item code: LG-6036

Voltage: 48V DC

POWER: 5W


Material: Aluminum/PC

Angle: 15°/24°/36°/60°

Color temperature: 2700K/3000K/4000K/5000K

Dimensions: 0.98"x0.98"x11.81"

Color: White\Black\Gold\Silver\Grey









## SWAP PENDANT

The pendant is processed with high-quality aluminum. There are a variety of colors on the surface that can be combined.

### Product Specifications:

Item code: LG-6037

Voltage: 48V DC

POWER: 8W


Material: Aluminum/PC

Angle: 15°/24°/36°/60°

Color temperature: 2700K/3000K/4000K/5000K

Dimensions: 1.57"x1.57"x11.81"

Color: White\Black\Gold\Silver\Grey



# SWAP

Light and Green is North America's top manufacturer of plaster  
**LED architectural lighting fixtures.**

Address: 2340 E Olympic Blvd, Unit E  
Los Angeles, CA 90021  
[www.lightandgreen.com](http://www.lightandgreen.com)  
Email: [sales@lightandgreen.com](mailto:sales@lightandgreen.com)