



Architectural Lighting

LIGHT & GREEN®

Craftmanship



Our Handcrafted LED Architectural Lighting Fixtures Set The Standard In Quality And Luxury. Light And Green's Manufacturing Formula Incorporates A Perfect Blend Of High Performance Components And Environmentally Friendly Materials. The Result Is A Seamless, Harmonious, Transformative Lighting Experience.

About Light & Green

Light And Green Is North America's Leading Manufacturer Of Plaster LED Architectural Lighting Fixtures. We Specialize In Modern, Minimalist, 100% Seamless, Trimless, Paintable Lighting Solutions Including Recessed Downlights, Recessed Wall Lights, Interior Accent Lighting, Knife-Edge Track Systems, And Linear Cove Lighting.

Why Plaster?

Plaster Is A High-Performance Building Material That Has Been Used Since Ancient Times, Dating Back To Ancient Egypt. Calcium, The Primary Component Of Plaster, Is The Fifth Most Abundant Mineral On Earth, Making It A Sustainable And Highly Recyclable Material. Plaster Is Also Resistant To Harsh Conditions Such As High Humidity, Heat, And Cold. Its Strength And Durability Make It Virtually Maintenance-Free. Most Interior Spaces Are Finished With Drywall Due To Its Flexibility, Safety, And Sustainability. Our Plaster Lighting Fixtures Are Engineered To Integrate Seamlessly With Drywall Surfaces. Because Both Materials Share The Same Composition, There Is No Conflict Between Materials resulting In A Flawless, Monolithic Installation With No Visible Separation Between Fixture And Surface.

Our Mission

Light And Green Is Committed To Delivering Differentiation And Design Excellence Through High-Performance, Energy-Efficient LED Technology And Sustainable Plaster Materials.

Learn more and find local support at: lightandgreen.com

**All images and sizes are for reference purposes only.*



JA8 TITLE 24 Compliant



Chicago Plenum Approved



IC Rated



Airtight



Recyclable



Damp Location



Wet Location Rated



ETL Listed



UL Listed



Class I



Class II



Indoor Light



Installation Opening



Installation Housing

HARMONY - Plaster Recessed Downlight	12
FOCUS - Plaster Recessed Downlight With Lens	28
HARMONY - Plaster Wall Recessed Steplight	30
HARMONY - Plaster Wall Recessed Bubble	36
LINEAR COVE - Plaster Recessed LED Cove	38
CYLINDER - Plaster Surface Mount Downlight	42
BOOST - Metal Recessed Downlight	44
NARROWLINE - Multi-Cell Recessed Downlight	58
MONO POINT - Surfaced Mounted & Recessed Decorative Spot Head	64
KNIFE EDGE - Track Light System	66
SCONCE - Metal Wall Sconce	74
RONDO - Ceiling Light	78

HARMONY - Plaster Recessed Downlight

NON ADJUSTABLE



LG-9018 (2")
PAGE 15



LG-9020 (2")
PAGE 15



LG-9001 (3")
PAGE 15



LG-9003 (3")
PAGE 15



LG-9013 (4")
PAGE 17



LG-9014 (4")
PAGE 17



LG-9015 (4")
PAGE 17



LG-9011 (3")
PAGE 19




LG-9012 (3")
PAGE 19


ADJUSTABLE



LG-9013A (4")
PAGE 21



LG-9014A (4")
PAGE 21



LG-9015A (4")
PAGE 21



LG-9011A (4")
PAGE 23



LG-9012A (4")
PAGE 23



LG-9111A (4")
PAGE 23



LG-9112A (4")
PAGE 23



LG-8001 (6")
PAGE 24



LG-8004 (6")
PAGE 24



LG-8005-1 (6")
PAGE 27



LG-8005-2 (6")
PAGE 27



LG-8005-3 (6")
PAGE 27


FOCUS - Plaster Recessed Downlight With Lens



LG-8016 (4")
PAGE 29



LG-8017 (8")
PAGE 29



LG-8018 (4")
PAGE 29



LG-8019 (8")
PAGE 29

HARMONY - Plaster Wall Recessed Step Light



LG-4002
PAGE 31



LG-4003
PAGE 31




LG-4004
PAGE 31



LG-4005
PAGE 31



LG-4006
PAGE 33



LG-4007
PAGE 33



LG-4008
PAGE 33



LG-4009
PAGE 33



LG-4010
PAGE 35



LG-4016
PAGE 35

HARMONY - Plaster Wall Recessed Bubble



LG-4013
PAGE 37



LG-4014
PAGE 37



LG-4015
PAGE 37

LINEAR COVE - Plaster Recessed LED Profile



LG-5001 (3')
PAGE 39



LG-5002
(1" Left End)
PAGE 39



LG-5003
(1" Right End)
PAGE 39



LG-5004
(Inside Corner)
PAGE 39




LG-5005
(Outside Corner)
PAGE 39



LG-5006
(Ceiling To Wall)
PAGE 39



LG-5007-1
(12" Circle)
PAGE 39



LG-5007-2
(24" Circle)
PAGE 39



LG-5007-3
(20" 1/4 Circle)
PAGE 39

CYLINDER - Plaster Surface Mount Downlight




LG-3001 (5")
PAGE 43




LG-3002 (5")
PAGE 43

BOOST - Metal Adjustable Trim/Trimless/Wood Recessed Downlight


TRIMLESS FOR DRYWALL



LG-9021 TL (3")
PAGE 45



LG-9022 TL (3")
PAGE 45



LG-9023 TL (3")
PAGE 45




LG-9024 TL (3")
PAGE 45




LG-9025 TL (3")
PAGE 47



LG-9021 TL (3")
PAGE 47



LG-9022 TL (3")
PAGE 47



LG-9023 TL (3")
PAGE 47



LG-9024 TL (3")
PAGE 49



LG-9025 TL (3")
PAGE 49

TRIMLESS FOR WOOD



LG-9021 W (3")
PAGE 57



LG-9022 W (3")
PAGE 57



LG-9023 W (3")
PAGE 57



LG-9021 W (4")
PAGE 56




LG-9022 W (3")
PAGE 57


TRIM FOR WOOD & DRYWALL




LG-9021 T (3")
PAGE 51




LG-9022 T (3")
PAGE 51



LG-9023 T (3")
PAGE 51




LG-9024 T (3")
PAGE 51




LG-9025 T (3")
PAGE 53




LG-9021 T (3'')
PAGE 53



LG-9022 T (3'')
PAGE 53



LG-9023 T (3'')
PAGE 53



LG-9024 T (3'')
PAGE 55



LG-9025 T (3'')
PAGE 55

NARROWLINE - Multi-Cell Recessed Downlight



LG-7001 (1x1)
PAGE 58



LG-7002 (1x2)
PAGE 59



LG-7005 (1x5)
PAGE 59



LG-7010 (1x10)
PAGE 59



LG-7012A (1x2)
PAGE 61



LG-7006A (1x6)
PAGE 61



LG-7012A (1x12)
PAGE 61



LG-7001TL (1x1)
PAGE 63



LG-7002TL (1x2)
PAGE 63



LG-7005TL (1x5)
PAGE 62



LG-7010TL (1x10)
PAGE 63

MONO POINT - Surfaced Mounted & Recessed Decorative Spot Head



LG-LD51488C-AL
PAGE 65




LG-LD51488C-AL
PAGE 65



LG-LD51488C-AL
PAGE 65



LG-LD51488-AB
PAGE 64



LG-LD51488-B
PAGE 65

KNIFE EDGE - Track Light System



LG-5008 (6.5')
PAGE 67



LG-5008W (6.5')
PAGE 67



LG-5008PW (6.5')
PAGE 67



LG-5008A
(3" Opening)
PAGE 67



LG-5008B
(6" Opening)
PAGE 67



LG-5008C
(Outside Corner)
PAGE 67



LG-5008
(Inside Corner)
PAGE 67



LG-5009
(For 3" Opening)
PAGE 69



LG-5010
(For 6" Opening)
PAGE 69

SCONCE - Metal Wall Sconce



LG-1036M (7")
PAGE 75



LG-1037M (10")
PAGE 75



LG-1038M (11")
PAGE 75



LG-1039M (7")
PAGE 75



LG-1041M (7")
PAGE 77



LG-1042M (10")
PAGE 77

RONDO - Ceiling Light

RECESSED



RR-D35 - RR-D125
(1' - 4')
PAGE 79



RQR-D35-RQR-D120
(1' - 4')
PAGE 82



RQSR-D35-RQSR-D120
(1' - 4')
PAGE 83

SURFACE MOUNT



RM-D35-RM-D125
(1' - 4')
PAGE 85



RQM-D35-RQM-D120
(1' - 4')
PAGE 87



RQSM-D35 - RQSM-D120
(1' - 4')
PAGE 89

SURFACE MOUNT

PENDANT



RP-D35-RP-D125
(1' - 4')
PAGE 93



RQP-D35 - RQP-D120
(1' - 4')
PAGE 95




RQSP-D35 - RQSP-D120
(1' - 4')
PAGE 98









HARMONY
Plaster Recessed Downlight

LG-9001 | (3") Non- Adjustable Square


Application		New Construction/Remodeling		Voltage	120V/227V
LED TYPE	LED COLOR	WATTS	LUMENS		95
			13W	18W	
Standard	2700K 3000K 3500K 4000K	13/18W	1250 lm	1610 lm	
Warm Dim	1800K - 3000K		940 lm	1300 lm	
Tunable Dim	2700K - 6500K		910 lm		

LG-9003 | (3") Non - Adjustable Round

Application		New Construction/Remodeling		Voltage		120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS		95		
			13W	18W			
Standard	2700K 3000K 3500K 4000K	13/18W	1250 lm	1610 lm			
Warm Dim	1800K - 3000K		940 lm	1300 lm			
Tunable Dim	2700K - 6500K		910 lm				

LG-9018 | (2") Non - Adjustable Square


Application		New Construction/Remodeling		Voltage	120V/227V
LED TYPE	LED COLOR	WATTS	LUMENS		95
			13W	18W	
Standard	2700K 3000K 3500K 4000K	13/18W	1250 lm	1610 lm	
Warm Dim	1800K - 3000K		940 lm	1300 lm	
Tunable Dim	2700K - 6500K		910 lm		

LG-9020 | (2") Non - Adjustable Round

Application		New Construction/Remodeling		Voltage	120V/227V
LED TYPE	LED COLOR	WATTS	LUMENS		95
			13W	18W	
Standard	2700K 3000K 3500K 4000K	13/18W	1250 lm	1610 lm	
Warm Dim	1800K - 3000K		940 lm	1300 lm	
Tunable Dim	2700K - 6500K		910 lm		




LG-9013 | (4") Non - Adjustable Square




Application		New Construction/Remodeling		Voltage		120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS		95		
			13W	18W			
Standard	2700K 3000K 3500K 4000K	13/18W	1250 lm	1610 lm			
Warm Dim	1800K - 3000K		940 lm	1300 lm			
Tunable Dim	2700K - 6500K		910 lm				

LG-9014 | (4") Non - Adjustable Round



Application		New Construction/Remodeling		Voltage		120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS		95		
			13W	18W			
Standard	2700K 3000K 3500K 4000K	13/18W	1250 lm	1610 lm			
Warm Dim	1800K - 3000K		940 lm	1300 lm			
Tunable Dim	2700K - 6500K		910 lm				

LG-9015 | (4") Non- Adjustable Trumpet




Application		New Construction/Remodeling		Voltage		120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS		95		
			13W	18W			
Standard	2700K 3000K 3500K 4000K	13/18W	1250 lm	1610 lm			
Warm Dim	1800K - 3000K		940 lm	1300 lm			
Tunable Dim	2700K - 6500K		910 lm				



HARMONY
Plaster Recessed Downlight


LG-9011 | (3") Non - Adjustable Double 1x2 Square



Application New Construction/Remodeling **Voltage** 120V/227V

LED TYPE	LED COLOR	WATTS	LUMENS		
			13W	18W	
Standard	2700K 3000K 3500K 4000K	2x 13/18W	2x1250 lm	2x1610 lm	95
Warm Dim	1800K - 3000K		2x940 lm	2x1300 lm	
Tunable Dim	2700K - 6500K		2x910 lm		


LG-9012 | (3") Non - Adjustable Double 1x2 Round



Application New Construction/Remodeling **Voltage** 120V/227V

LED TYPE	LED COLOR	WATTS	LUMENS		
			13W	18W	
Standard	2700K 3000K 3500K 4000K	2x 13/18W	2x1250 lm	2x1610 lm	95
Warm Dim	1800K - 3000K		2x940 lm	2x1300 lm	
Tunable Dim	2700K - 6500K		2x910 lm		


LG-9111 | (3") Non - Adjustable Triple 1x3 Square



Application New Construction/Remodeling **Voltage** 120V/227V

LED TYPE	LED COLOR	WATTS	LUMENS		
			13W	18W	
Standard	2700K 3000K 3500K 4000K	3x 13/18W	3x1250 lm	3x1610 lm	95
Warm Dim	1800K - 3000K		3x940 lm	3x1300 lm	
Tunable Dim	2700K - 6500K		3x910 lm		



LG-9112 | (3") Non - Adjustable 1x3 Round





Application New Construction/Remodeling **Voltage** 120V/227V

LED TYPE	LED COLOR	WATTS	LUMENS		
			13W	18W	
Standard	2700K 3000K 3500K 4000K	3x 13/18W	3x1250 lm	1610 lm	95
Warm Dim	1800K - 3000K		3x940 lm	1300 lm	
Tunable Dim	2700K - 6500K		3x910 lm		




LG-9013A | (4") Adjustable Square

Application		New Construction/Remodeling			Voltage	120V/227V
LED TYPE	LED COLOR	WATTS	LUMENS	CRI		
Standard	2700K 3000K 3500K 4000K	13-18W	950 lm	95		
			1250 lm			
			1800 lm			
Warm Dim	1800K - 3000K	13-18W	940 lm			
Tunable Dim	2700K - 6500K		910 lm			

LG-9014A | (4") Adjustable Round


Application		New Construction/Remodeling			Voltage	120V/227V
LED TYPE	LED COLOR	WATTS	LUMENS	CRI		
Standard	2700K 3000K 3500K 4000K	13-18W	950 lm	95		
			1250 lm			
			1800 lm			
Warm Dim	1800K - 3000K	13-18W	940 lm			
Tunable Dim	2700K - 6500K		910 lm			

LG-9015A | (4") Adjustable Square


Application		New Construction/Remodeling			Voltage	120V/227V
LED TYPE	LED COLOR	WATTS	LUMENS	CRI		
Standard	2700K 3000K 3500K 4000K	13-18W	950 lm	95		
			1250 lm			
			1800 lm			
Warm Dim	1800K - 3000K	13-18W	940 lm			
Tunable Dim	2700K - 6500K		910 lm			




HARMONY
Plaster Recessed Downlight

LG-9011A-AC | (4") Adjustable Double 1x2 Square**Application** New Construction/Remodeling **Voltage** 120V/227V


LED TYPE	LED COLOR	WATTS	LUMENS		
			13W	18W	
Standard	2700K 3000K 3500K 4000K	2x 13/18W	2x1250 lm	2x1610 lm	95
Warm Dim	1800K - 3000K		2x940 lm	2x1300 lm	
Tunable Dim	2700K - 6500K		2x910 lm		

LG-9012A-AC | (4") Adjustable Double 1x2 Round**Application** New Construction/Remodeling **Voltage** 120V/227V

LED TYPE	LED COLOR	WATTS	LUMENS		
			13W	18W	
Standard	2700K 3000K 3500K 4000K	2x 13/18W	2x1250 lm	2x1610 lm	95
Warm Dim	1800K - 3000K		2x940 lm	2x1300 lm	
Tunable Dim	2700K - 6500K		2x910 lm		

LG-9111A-AC | (4") Adjustable Triple 1x3 Square**Application** New Construction/Remodeling **Voltage** 120V/227V


LED TYPE	LED COLOR	WATTS	LUMENS		
			13W	18W	
Standard	2700K 3000K 3500K 4000K	3x 13/18W	3x1250 lm	3x1610 lm	95
Warm Dim	1800K - 3000K		3x940 lm	3x1300 lm	
Tunable Dim	2700K - 6500K		3x910 lm		

LG-9112A-AC | (4") Adjustable Triple 1x3 Round**Application** New Construction/Remodeling **Voltage** 120V/227V

LED TYPE	LED COLOR	WATTS	LUMENS		
			13W	18W	
Standard	2700K 3000K 3500K 4000K	3x 13/18W	3x1250 lm	3x1610 lm	95
Warm Dim	1800K - 3000K		3x940 lm	3x1300 lm	
Tunable Dim	2700K - 6500K		3x910 lm		




LG-8001A | (6") Adjustable Flangeless Trumpet



Application New Construction/Remodeling		Voltage 120V/227V		
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
Standard	2700K	15W	1500 lm	95
	3000K			
	3500K			
	4000K			


LG-8004A | (6") Adjustable Flangeless Round



Application New Construction/Remodeling		Voltage 120V/227V		
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
Standard	2700K	15W	1500 lm	95
	3000K			
	3500K			
	4000K			




LG-8005/1 | (6") Adjustable Flangeless Trumpet




Application New Construction/Remodeling		Voltage 120V/227V		
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
Standard	2700K	15W	1500 lm	95
	3000K			
	3500K			
	4000K			

LG-8004/2 | (6") Adjustable Flangeless 1x2 Square



Application New Construction/Remodeling		Voltage 120V/227V		
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
Standard	2700K	2x15W	2x1500 lm	95
	3000K			
	3500K			
	4000K			


LG-8005/3 | (6") Adjustable Flangeless 1x3 Square



Application New Construction/Remodeling		Voltage 120V/227V		
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
Standard	2700K	3x15W	3x1500 lm	95
	3000K			
	3500K			
	4000K			




LG-8016 | Trimless Plaster LED - 4" Round




Application New Construction/Remodeling		Voltage 120V/227V		
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
Epistar SMD LED	2700K 3000K	9W	900 lm	95

LG-8017 | (6") Trimless Plaster LED - 8" Round




Application New Construction/Remodeling		Voltage 120V/227V		
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
Epistar SMD LED	2700K 3000K	18W	1300 lm	95

LG-8018 | (4") Trimless Plaster LED - Square



Application New Construction/Remodeling		Voltage 120V/227V		
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
Epistar SMD LED	2700K 3000K	9W	900 lm	95


LG-8019 | (8") Trimless Plaster LED - Square



Application New Construction/Remodeling		Voltage 120V/227V		
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
Epistar SMD LED	2700K 3000K	18W	1300 lm	95




LG-4002 | Harmony LED Step Light



Application New Construction/Remodeling **Voltage** 3Vdc

LED TYPE	WATTS	LUMENS	CRI	DRIVER
2700K 3000K	1W	80lm	90	Remote Driver 5 in 1 120v/277v


LG-4003 | Harmony LED Step Light



Application New Construction/Remodeling **Voltage** 3Vdc

LED TYPE	WATTS	LUMENS	CRI	DRIVER
2700K 3000K	1W	80lm	90	Remote Driver 5 in 1 120v/277v


LG-4004 | Harmony LED Step Light



Application New Construction/Remodeling **Voltage** 3Vdc

LED TYPE	WATTS	LUMENS	CRI	DRIVER
2700K 3000K	1W	80lm	90	Remote Driver 5 in 1 120v/277v

LG-4005 | Harmony LED Step Light




Application New Construction/Remodeling **Voltage** 3Vdc

LED TYPE	WATTS	LUMENS	CRI	DRIVER
2700K 3000K	1W	80lm	90	Remote Driver 5 in 1 120v/277v




HARMONY


Plaster Wall Recessed Step Light

LG-4006 | Harmony LED Step Light**Application** New Construction/Remodeling**Voltage** 3Vdc



LED TYPE	WATTS	LUMENS	CRI	DRIVER
2700K 3000K	1W	80lm	90	Remote Driver 5 in 1 120v/277v

LG-4007 | Harmony LED Step Light**Application** New Construction/Remodeling**Voltage** 3Vdc


LED TYPE	WATTS	LUMENS	CRI	DRIVER
2700K 3000K	1W	80lm	90	Remote Driver 5 in 1 120v/277v

LG-4008 | Harmony LED Wall Sconce**Application** New Construction/Remodeling**Voltage** 120V/227V


LED TYPE	WATTS	LUMENS	CRI	DRIVER
2700K 3000K	9W	750lm	90	In Fixture Included

LG-4009 | Harmony LED Step Light**Application** New Construction/Remodeling**Voltage** 9Vdc

LED TYPE	WATTS	LUMENS	CRI	DRIVER
2700K 3000K	3W	320lm	90	Remote Driver 5 in 1 120v/277v




LG-4010 | Harmony LED Step Light



Application New Construction/Remodeling		Voltage 3Vdc		
LED TYPE	WATTS	LUMENS	CRI	DRIVER
2700K 3000K	1W	80lm	90	Remote Driver 5 in 1 120v/277v


LG-4016 | Harmony Wall Washer LED - Large



Application New Construction/Remodeling		Voltage 9Vdc		
LED TYPE	WATTS	LUMENS	CRI	DRIVER
2700K 3000K	3W	320lm	90	Remote Driver 5 in 1 120v/277v




LG-4013 | Harmony Wall Washer LED - Small




Application New Construction/Remodeling		Voltage 3Vdc		
LED TYPE	WATTS	LUMENS	CRI	DRIVER
2700K 3000K	1W	80lm	90	Remote Driver 5 in 1 120v/277v

LG-4014 | Harmony Wall Washer LED - Medium



Application New Construction/Remodeling		Voltage 9Vdc		
LED TYPE	WATTS	LUMENS	CRI	DRIVER
2700K 3000K	3W	3200lm	90	

LG-4015 | Harmony Wall Washer LED - Large




Application New Construction/Remodeling		Voltage 9Vdc		
LED TYPE	WATTS	LUMENS	CRI	DRIVER
2700K 3000K	3W	320lm	90	Remote Driver 5 in 1 120v/277v

LINEAR COVE

Plaster Recessed Led Profile



LG-5001 | LED Profile





Application	New Construction/Remodeling
-------------	-----------------------------

For 5/8 Drywall
3' continuous plaster cove for LED tape
Field cuttable

* When painted with waterproof paint

LG-5002 | Left End Cup For 5/8 Drywall




LG-5003 | Right End Cup For 5/8 Drywall



LG-5004 | 90° Inside Corner For 5/8 Drywall

LG-5005 | 90° Inside Corner For 5/8 Drywall




LG-5006 | 90° Inside Corner For 5/8 Drywall




LG-5002 | 90° Inside Corner For 5/8 Drywall

LG-5002 | 90° Inside Corner For 5/8 Drywall

LG-5002 | 90° Inside Corner For 5/8 Drywall





LINEAR COVE Plaster Cove Housing designed as an all flushed mount application. With built in curves which hide the LED strip giving a clean light reflectance throughout the space. Field cuttable, no diffuser required. Available with various corner and side applications to enhance any interior design imagined. Cove housing are solid and handcrafted, made out of environmentally friendly green materials.






CYLINDER
Plaster Surface Mount Downlight

LG-3001 | 5" Cylinder



Application New Construction/Remodeling		Voltage 120V		
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
Standard GU10 LED MR16	2700K 3000K	6W	567 lm	90
Warm Dim GU10 LED MR16	1800K - 3000K		570 lm	

LG-3002 | 5" Cylinder





Application New Construction/Remodeling		Voltage 120V		
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
Standard GU10 LED MR16	2700K 3000K	6W	567 lm	90
Warm Dim GU10 LED MR16	1800K - 3000K		570 lm	

BOOST

Recessed Downlight





LG-9021TL (Black) | (3") Adjustable Square



Application New Construction/Remodeling **Voltage** 120V/227V

LED TYPE	LED COLOR	WATTS	LUMENS		
			13W	18W	
Standard	2700K 3000K 3500K 4000K	13/18W	1250 lm	1610 lm	95
Warm Dim	1800K - 3000K		940 lm	1300 lm	
Tunable Dim	2700K - 6500K		2x910 lm		



LG-9022TL (Black) | (3") Adjustable 1x2 Square



Application New Construction/Remodeling **Voltage** 120V/227V

LED TYPE	LED COLOR	WATTS	LUMENS		
			13W	18W	
Standard	2700K 3000K 3500K 4000K	2x 13/18W	2x1250 lm	2x1610 lm	95
Warm Dim	1800K - 3000K		2x940 lm	2x1300 lm	
Tunable Dim	2700K - 6500K		2x910 lm		


LG-9023TL (Black) | (3") Adjustable 1x3 Square



Application New Construction/Remodeling **Voltage** 120V/227V

LED TYPE	LED COLOR	WATTS	LUMENS		
			13W	18W	
Standard	2700K 3000K 3500K 4000K	3x 13/18W	3x1250 lm	3x1610 lm	95
Warm Dim	1800K - 3000K		3x940 lm	3x1300 lm	
Tunable Dim	2700K - 6500K		3x910 lm		

LG-9024 TL (Black) | (3") Adjustable 1x4 Square




Application New Construction/Remodeling **Voltage** 120V/227V

LED TYPE	LED COLOR	WATTS	LUMENS		
			13W	18W	
Standard	2700K 3000K 3500K 4000K	4x 13/18W	4x1250 lm	4x1610 lm	95
Warm Dim	1800K - 3000K		4x940 lm	4x1300 lm	
Tunable Dim	2700K - 6500K		4x910 lm		

KURT GEIGER

BOOST
Recessed Downlight



LG-9025 TL (Black) | (3") Adjustable 1X5 Square



Application New Construction/Remodeling **Voltage** 120V/227V

LED TYPE	LED COLOR	WATTS	LUMENS		
			13W	18W	
Standard	2700K 3000K 3500K 4000K	5x 13/18W	5x1250 lm	5x1610 lm	95
Warm Dim	1800K - 3000K		5x940 lm	5x1300 lm	
Tunable Dim	2700K - 6500K		5x910 lm		



LG-9021TL (WHITE) | (3") Adjustable Square



Application New Construction/Remodeling **Voltage** 120V/227V

LED TYPE	LED COLOR	WATTS	LUMENS		
			13W	18W	
Standard	2700K 3000K 3500K 4000K	13/18W	1250 lm	1610 lm	95
Warm Dim	1800K - 3000K		940 lm	1300 lm	
Tunable Dim	2700K - 6500K		910 lm		



LG-9022TL (WHITE) | (3") Adjustable 1x2 Square



Application New Construction/Remodeling **Voltage** 120V/227V

LED TYPE	LED COLOR	WATTS	LUMENS		
			13W	18W	
Standard	2700K 3000K 3500K 4000K	2x 13/18W	2x1250 lm	2x1610 lm	95
Warm Dim	1800K - 3000K		2x940 lm	2x1300 lm	
Tunable Dim	2700K - 6500K		2x910 lm		

LG-9023TL (WHITE) | (3") Adjustable 1x3 Square




Application New Construction/Remodeling **Voltage** 120V/227V

LED TYPE	LED COLOR	WATTS	LUMENS		
			13W	18W	
Standard	2700K 3000K 3500K 4000K	3x 13/18W	3x1250 lm	3x1610 lm	95
Warm Dim	1800K - 3000K		3x940 lm	3x1300 lm	
Tunable Dim	2700K - 6500K		3x910 lm		




LG-9024TL (WHITE) | (3") Adjustable 1X4 Square



Application New Construction/Remodeling		Voltage 120V/227V			
LED TYPE	LED COLOR	WATTS	LUMENS		95
			13W	18W	
Standard	2700K 3000K 3500K 4000K	4x 13/18W	4x1250 lm	4x1610 lm	
Warm Dim	1800K - 3000K		4x940 lm	4x1300 lm	
Tunable Dim	2700K - 6500K		4x910 lm		



LG-9025TL (WHITE) | (3") Adjustable 1x5 Square



Application		New Construction/Remodeling		Voltage		120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS		95		
			13W	18W			
Standard	2700K 3000K 3500K 4000K	5x 13/18W	5x1250 lm	5x1610 lm			
Warm Dim	1800K - 3000K		5x940 lm	5x1300 lm			
Tunable Dim	2700K - 6500K		5x910 lm				





LG-9021T (Black) | (3") Adjustable Square





Application		New Construction/Remodeling		Voltage		120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS		95		
			13W	18W			
Standard	2700K 3000K 3500K 4000K	13/18W	1250 lm	1610 lm			
Warm Dim	1800K - 3000K		940 lm	1300 lm			
Tunable Dim	2700K - 6500K		910 lm				

LG-9022T (Black) | (3") Adjustable 1x2 Square




Application		New Construction/Remodeling		Voltage	120V/227V
LED TYPE	LED COLOR	WATTS	LUMENS		95
			13W	18W	
Standard	2700K 3000K 3500K 4000K	2x 13/18W	2x1250 lm	2x1610 lm	
Warm Dim	1800K - 3000K		2x940 lm	2x1300 lm	
Tunable Dim	2700K - 6500K		2x910 lm		

LG-9023T (Black) | (3") Adjustable 1x3 Square



Application		New Construction/Remodeling		Voltage		120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS		95		
			13W	18W			
Standard	2700K	3x 13/18W	3x1250 lm	3x1610 lm			
	3000K						
	3500K						
	4000K						
Warm Dim	1800K - 3000K		3x940 lm	3x1300 lm			
Tunable Dim	2700K - 6500K	3x910 lm					

LG-9024T (WHITE) | (3") Adjustable 1x4 Square



Application		New Construction/Remodeling		Voltage		120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS		95		
			13W	18W			
Standard	2700K 3000K 3500K 4000K	4x 13/18W	4x1250 lm	4x1610 lm			
Warm Dim	1800K - 3000K		4x940 lm	4x1300 lm			
Tunable Dim	2700K - 6500K		4x910 lm				

BOOST
Recessed Downlight





LG-9025T (Black) | (3") Adjustable 1x5 Square





Application		New Construction/Remodeling		Voltage		120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS		95		
			13W	18W			
Standard	2700K 3000K 3500K 4000K	5x 13/18W	1250 lm	1610 lm			
Warm Dim	1800K - 3000K		940 lm	1300 lm			
Tunable Dim	2700K - 6500K		910 lm				

LG-9021T (WHITE) | (3") Adjustable Square





Application		New Construction/Remodeling		Voltage		120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS		95		
			13W	18W			
Standard	2700K	13/18W	1250 lm	1610 lm			
	3000K						
	3500K						
	4000K						
Warm Dim	1800K - 3000K		940 lm	1300 lm			
Tunable Dim	2700K - 6500K	910 lm					

LG-9022T (WHITE) | (3") Adjustable 1x2 Square



Application		New Construction/Remodeling		Voltage		120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS		95		
			13W	18W			
Standard	2700K 3000K 3500K 4000K	2x 13/18W	1250 lm	1610 lm			
Warm Dim	1800K - 3000K		940 lm	1300 lm			
Tunable Dim	2700K - 6500K		910 lm				

LG-9023T (WHITE) | (3") Adjustable 1x3 Square




Application		New Construction/Remodeling		Voltage		120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS		95		
			13W	18W			
Standard	2700K 3000K 3500K 4000K	3x 13/18W	1250 lm	1610 lm			
Warm Dim	1800K - 3000K		940 lm	1300 lm			
Tunable Dim	2700K - 6500K		910 lm				

BOOST
Recessed Downlight



LG-9024T (WHITE) | (3") Adjustable 1X4 Square



Application		New Construction/Remodeling		Voltage		120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS		95		
			13W	18W			
Standard	2700K 3000K 3500K 4000K	4x 13/18W	4x1250 lm	4x1610 lm			
Warm Dim	1800K - 3000K		4x940 lm	4x1300 lm			
Tunable Dim	2700K - 6500K		4x910 lm				


LG-9025T (WHITE) | (3") Adjustable 1x5 Square



Application		New Construction/Remodeling		Voltage		120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS		95		
			13W	18W			
Standard	2700K 3000K 3500K 4000K	5x 13/18W	5x1250 lm	5x1610 lm			
Warm Dim	1800K - 3000K		5x940 lm	5x1300 lm			
Tunable Dim	2700K - 6500K		5x910 lm				





LG-9021W (European Oak) | (3") Adjustable Square



Application		New Construction/Remodeling		Voltage		120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS		95		
			13W	18W			
Standard	2700K 3000K 3500K 4000K	13/18W	1250 lm	1610 lm			
Warm Dim	1800K - 3000K		940 lm	1300 lm			
Tunable Dim	2700K - 6500K		910 lm				


LG-9021W (White) | (3") Adjustable 1x5 Square



Application New Construction/Remodeling **Voltage** 120V/227V

LED TYPE	LED COLOR	WATTS	LUMENS		
			13W	18W	
Standard	2700K 3000K 3500K 4000K	1x 13/18W	1250 lm	1610 lm	95
Warm Dim	1800K - 3000K		940 lm	1300 lm	
Tunable Dim	2700K - 6500K		910 lm		


LG-9022W (Black) | (3") Adjustable Square



Application New Construction/Remodeling **Voltage** 120V/227V

LED TYPE	LED COLOR	WATTS	LUMENS		
			13W	18W	
Standard	2700K 3000K 3500K 4000K	2x 13/18W	2x1250 lm	2x1610 lm	95
Warm Dim	1800K - 3000K		2x940 lm	2x1300 lm	
Tunable Dim	2700K - 6500K		2x910 lm		



LG-9023W (Natural Oak) | (3") Adjustable 1x3 Square



Application New Construction/Remodeling **Voltage** 120V/227V

LED TYPE	LED COLOR	WATTS	LUMENS		
			13W	18W	
Standard	2700K 3000K 3500K 4000K	3x 13/18W	3x1250 lm	3x1610 lm	95
Warm Dim	1800K - 3000K		3x940 lm	3x1300 lm	
Tunable Dim	2700K - 6500K		3x910 lm		

LG-9022W (Walnut) | (3") Adjustable 1x2 Square




Application New Construction/Remodeling **Voltage** 120V/227V

LED TYPE	LED COLOR	WATTS	LUMENS		
			13W	18W	
Standard	2700K 3000K 3500K 4000K	2x 13/18W	2x1250 lm	2x1610 lm	95
Warm Dim	1800K - 3000K		2x940 lm	2x1300 lm	
Tunable Dim	2700K - 6500K		2x910 lm		


NARROWLINE Multi-Cell Recessed Downlight




LG-7010 | Multiple Cell Narrow - 1x10 Square




Application New Construction/Remodeling		Voltage 120V/227V		
BEVEL COLOR	LED COLOR	WATTS	LUMENS	CRI
White	2700K 3000K 3500K 4000K	2X2W (4W)	1120 lm (20W) 10x2W	95
Black			1400 lm (20W) 10x2W	

LG-7002 | Multiple Cell Narrow - 1x2 Square


Application			Voltage	
New Construction/Remodeling			120V/227V	
BEVEL COLOR	LED COLOR	WATTS	LUMENS	CRI
White	2700K 3000K 3500K 4000K	2X2W (4W)	356 lm (4W) 2X2W	95
Black			256 lm (4W) 2X2W	

LG-7005 | Multiple Cell Narrow - 1x5 Square

Application			Voltage	
New Construction/Remodeling			120V/227V	
BEVEL COLOR	LED COLOR	WATTS	LUMENS	CRI
White	2700K 3000K 3500K 4000K	2X2W (4W)	856 lm (10W) 5x2W	95
Black			685 lm (10W) 5x2W	

LG-7010 | Multiple Cell Narrow - 1x10 Square


Application			Voltage	
New Construction/Remodeling			120V/227V	
BEVEL COLOR	LED COLOR	WATTS	LUMENS	CRI
White	2700K 3000K 3500K 4000K	2X2W (4W)	1120 lm (20W) 10x2W	95
Black			1400 lm (20W) 10x2W	

LG-7015 | Multiple Cell Narrow - 1x15 Square

Application			Voltage	
New Construction/Remodeling			120V/227V	
BEVEL COLOR	LED COLOR	WATTS	LUMENS	CRI
White	2700K 3000K 3500K 4000K	2X2W (4W)	2083 lm (30W) 15x2W	95
Black			1666 lm (30W) 15x2W	




LG-7003A | Narrow Recessed Downlight LED - 1x3 Square




Application		New Construction/Remodeling		Voltage		120V/227V	
BEVEL COLOR	LED COLOR	WATTS	LUMENS	CRI		95	
White	2700K 3000K 3500K 4000K	2X2W (4W)	685 lm (6W) 5X2W				
Black			856 lm (6W) 2X2W				

LG-7006A | Narrow Recessed Downlight LED - 1x6 Square



Application		New Construction/Remodeling		Voltage		120V/227V	
BEVEL COLOR	LED COLOR	WATTS	LUMENS	CRI		95	
White	2700K 3000K 3500K 4000K	6X2W (4W)	685 lm (10W) 6X2W				
Black			856 lm (10W) 6x2W				

LG-7012A | Narrow Recessed Downlight LED - 1x12 Square




Application		New Construction/Remodeling		Voltage		120V/227V	
BEVEL COLOR	LED COLOR	WATTS	LUMENS	CRI		95	
White	2700K 3000K 3500K 4000K	16X2W (4W)	1120 lm (20W) 12x2W				
Black			1400 lm (20W) 12x2W				

NARROWLINE

Multi-Cell Recessed Downlight


LG-7005TL | Multiple Cell Narrow - Trimless 1x5 Square




Application New Construction/Remodeling

Voltage 120V/227V


BEVEL COLOR	LED COLOR	WATTS	LUMENS	CRI	
White	2700K	5X2W (10W)	856 lm (10W) 5x2W	95	
	3000K				
	3500K				
	4000K				685 lm (10W) 5x2W
Black					

LG-7001TL | Single Cell Narrow - Trimless 1x1 Square


Application		New Construction/Remodeling		Voltage	120V/227V
BEVEL COLOR	LED COLOR	WATTS	LUMENS	CRI	
White	2700K 3000K 3500K 4000K	1X2W (2W)	203 lm (2W) 1X2W	95	
Black			162 lm (2W) 1X2W		

LG-7002TL | Multiple Cell Narrow - Trimless 1x2 Square

Application		New Construction/Remodeling		Voltage	120V/227V
BEVEL COLOR	LED COLOR	WATTS	LUMENS	CRI	
White	2700K 3000K 3500K 4000K	2X2W (4W)	356 lm (4W) 2X2W	95	
Black			256 lm (4W) 2X2W		

LG-7010 | Multiple Cell Narrow - Trimless 1x10 Square

Application		New Construction/Remodeling		Voltage	120V/227V
BEVEL COLOR	LED COLOR	WATTS	LUMENS	CRI	
White	2700K 3000K 3500K 4000K	10X2W (20W)	1400 lm (20W) 10x2W	95	
Black			1120 lm (20W) 10x2W		

LG-7015 | Multiple Cell Narrow - Trimless 1x15 Square


Application		New Construction/Remodeling		Voltage	120V/227V
BEVEL COLOR	LED COLOR	WATTS	LUMENS	CRI	
White	2700K 3000K 3500K 4000K	15X2W (30W)	2083 lm (30W) 15x2W	95	
Black			1666 lm (30W) 15x2W		

MONO POINT

Headline Pending




LG-LD51488-AB (Antique Brass)




Application		New Construction/Remodeling		Voltage	120V/227V
LED TYPE	LED COLOR	WATTS	LUMENS		CRI
			13W	GU10 - MR16	
Standard	2700K	13W	950 lm	570 lm	90
	3000K				
	3500K		1250 lm	570 lm	
	4000K				
Warm Dim	1800K - 3000K		940 lm	570 lm	

LG-LD51488C-AL (Graphite Gray)




Application New Construction/Remodeling		Voltage 120V/227V		
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
			7W GU10 - MR16	
Standard	2700K 3000K 3500K 4000K	7W	570 lm	90
Warm Dim	1800K - 3000K			

LG-LD51488C-AL (White)





Application New Construction/Remodeling		Voltage 120V/227V		
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
			7W GU10 - MR16	
Standard	2700K 3000K 3500K 4000K	7W	570 lm	90
Warm Dim	1800K - 3000K			

LG-LD51488C-AL (Jet Black)



Application New Construction/Remodeling		Voltage 120V/227V		
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
			7W GU10 - MR16	
Standard	2700K 3000K 3500K 4000K	7W	570 lm	90
Warm Dim	1800K - 3000K			

LG-LD51488-B (Brass)




Application New Construction/Remodeling		Voltage 120V/227V		
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
			7W GU10 - MR16	
Standard	2700K 3000K 3500K 4000K	7W	570 lm	90
Warm Dim	1800K - 3000K			

KNIFE EDGE
Track Light System






LG-5008 | Invisible Track Light System For Plaster






Application	New Construction/Remodeling	Aluminum Powder Coated
-------------	-----------------------------	------------------------

6.5' continuous aluminum channel
for track light system
Field cuttable


LG-5008W | Invisible Track Light System For Wood




LG-5008PW | Invisible Track Light System For Plaster & Wood Combination




5008A
3" Opening



5008B
6" Opening




5008C
Inside Corner




5008C
Outside Corner




Instruction




A - Drywall Mud



B - Mudding Mesh Tape



C - Drywall Mud







KNIFE EDGE
Track Light System

LG-5009 | Adjustable Spot Head




Application		New Construction/Remodeling		Voltage	120V/227V
LED TYPE	LED COLOR	WATTS	LUMENS	CRI	
Standard	2700K	13-18W	950 lm	95	
	3000K		1250 lm		
	3500K		1800 lm		
4000K					
Warm Dim	1800K - 3000K		940 lm		
Tunable Dim	2700K - 6500K		910 lm		



LG-5010 | Adjustable Spot Head



Application New Construction/Remodeling		Voltage 120V/227V		
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
Standard	2700K	13-18W	1500 lm	95
	3000K			
	3500K		2200 lm	90
	4000K			
RGBW	RGBW		3200 lm	














SCONCE
Metal Wall Sconce




LG-1036M | Soft Edge Square




Application New Construction/Remodeling			Voltage 120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
Epistar SMD LED	2700K 3000K	12W	220 lm	90

LG-1037M | Soft Edge Square




Application New Construction/Remodeling			Voltage 120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
Epistar SMD LED	2700K 3000K	18W	350 lm	90

LG-1038M | Soft Edge Rectangle



Application New Construction/Remodeling			Voltage 120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
Epistar SMD LED	2700K 3000K	18W	350 lm	90


LG-1039M | Soft Edge Rectangle



Application New Construction/Remodeling			Voltage 120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
Epistar SMD LED	2700K 3000K	12W	220 lm	90




LG-1041M | Soft Edge Round



Application New Construction/Remodeling		Voltage 120V/227V		
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
Epistar SMD LED	2700K 3000K	9W	570 lm	90



LG-1042M | Soft Edge Round



Application New Construction/Remodeling		Voltage 120V/227V		
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
Epistar SMD LED	2700K 3000K	9W	570 lm	90




RR-D35 | Round Recessed LED




Application New Construction/Remodeling			Voltage 120V/227V	
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
13.8"	3000K	25W	1640 lm	90

RR-D65 | Round Recessed LED





Application New Construction/Remodeling			Voltage 120V/227V	
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
17.7"	3000K	60W	4690 lm	90

RR-D95 | Round Recessed LED



Application New Construction/Remodeling			Voltage 120V/227V	
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
37.4"	3000K	120W	10146 lm	90

RR-D125 | Round Recessed LED





Application New Construction/Remodeling			Voltage 120V/227V	
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
48"	3000K	180W	15151 lm	90







RR-D35 | Round Recessed LED





Application New Construction/Remodeling			Voltage 120V/227V	
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
13.8"	3000K	25W	1640 lm	90

RR-D65 | Round Recessed LED





Application New Construction/Remodeling			Voltage 120V/227V	
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
17.7"	3000K	60W	4690 lm	90

RR-D95 | Round Recessed LED





Application New Construction/Remodeling			Voltage 120V/227V	
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
37.4"	3000K	120W	10146 lm	90

RR-D125 | Round Recessed LED





Application New Construction/Remodeling			Voltage 120V/227V	
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
48"	3000K	180W	15151 lm	90

RQSR-D35 | Soft Edge Square Recessed LED





Application			New Construction/Remodeling		Voltage		120V/227V	
DIAMETER		LED COLOR		WATTS	LUMENS		CRI	
13.8"		3000K		25W	1700 lm		90	

RQSR-D45 | Soft Edge Square Recessed LED





Application			New Construction/Remodeling		Voltage		120V/227V	
DIAMETER		LED COLOR		WATTS	LUMENS		CRI	
17.7"		3000K		40W	3023 lm		90	

RQSR-D60 | Soft Edge Square Recessed LED




Application			New Construction/Remodeling		Voltage		120V/227V	
DIAMETER		LED COLOR		WATTS	LUMENS		CRI	
23.6"		3000K		60W	4700 lm		90	

RQSR-D90 | Soft Edge Square Recessed LED



Application			New Construction/Remodeling		Voltage		120V/227V	
DIAMETER		LED COLOR		WATTS	LUMENS		CRI	
35.4"		3000K		120W	9600 lm		90	

RQSR-D120 | Soft Edge Square Recessed LED




Application		New Construction/Remodeling			Voltage	120V/227V
Diameter	LED Color	Watts	Lumens	CRI		
47.2" X 11.8"	3000K	60W	4700 lm	90		




RONDO
Ceiling Light

RM-D35 | Round Surface Mount LED




Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
13.8"	3000K	25W	1640 lm	90

RM-D45 | Round Surface Mount LED




Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
17.7"	3000K	40W	2880 lm	90

RM-D65 | Round Surface Mount LED




Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
25.6"	3000K	60W	4690 lm	90

RM-D95 | Round Surface Mount LED



Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
37.4"	3000K	120W	9600 lm	90


RM-D125 | Round Surface Mount LED



Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
48"	3000K	180W	15151 lm	90




RQM-D35 | Square Surface Mount LED




Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
13.8"	3000K	25W	1700 lm	90

RQM-D45 | Square Surface Mount LED




Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
17.7"	3000K	40W	3023 lm	90

RQM-D60 | Square Surface Mount LED




Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
23.6"	3000K	60W	4700 lm	90

RQM-D90 | Square Surface Mount LED



Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
35.4"	3000K	120W	9600 lm	90

RQM-D120 | Square Surface Mount LED




Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
47.2" X 11.8"	3000K	60W	4700 lm	90




RONDO
Ceiling Light

RQSM-D35 | Soft Edge Square Surface Mount LED




Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
13.8"	3000K	25W	1700 lm	90

RQSM-D45 | Soft Edge Square Surface Mount LED




Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
17.7"	3000K	40W	3023 lm	90

RQSM-D60 | Soft Edge Square Surface Mount LED




Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
23.6"	3000K	60W	4700 lm	90

RSQM-D90 | Soft Edge Square Surface Mount LED



Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
35.4"	3000K	120W	9600 lm	90

RSQM-D120 | Soft Edge Square Surface Mount LED



Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
47.2" X 11.8"	3000K	60W	4700 lm	90




RONDO
Pendant Ceiling Light






RONDO The Recessed Shape, Installed Flush With The Ceiling, Draws Pools Of Unique Light Circles. Light Conquers Space, Enhances Its Beauty And Comfort, And Expands It In Line With A Modern Conception Of The Livable Space, Where Everything Responds To Carefully Planned Design Inspired By Innovation.

RP-D35 | Round Pendant LED




Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
13.8"	3000K	25W	1640 lm	90

RP-D45 | Round Pendant LED




Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
17.7"	3000K	40W	2880 lm	90

RP-D65 | Round Pendant LED




Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
25.6"	3000K	60W	4690 lm	90

RP-D95 | Round Pendant LED



Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
37.4"	3000K	120W	10146 lm	90


RQSR-D125 | Round Pendant LED



Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
48"	3000K	60W	15151 lm	90




RQP-D35 | Square Pendant LED




Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
13.8"	3000K	25W	1700 lm	90

RQP-D45 | Square Pendant LED




Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
17.7"	3000K	40W	3023 lm	90

RQP-D60 | Square Pendant LED





Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
23.6"	3000K	60W	4700 lm	90

RQP-D90 | Square Pendant LED



Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
35.4"	3000K	120W	9600 lm	90


RQP-D120 | Square Pendant LED



Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
47.2 X 11.8"	3000K	60W	4700 lm	90





RQP-D35 | Square Pendant LED




Application		New Construction/Remodeling		Voltage		120V/227V			
DIAMETER		LED COLOR		WATTS		LUMENS		CRI	
13.8"		3000K		25W		1700 lm		90	

RQP-D45 | Square Pendant LED




Application		New Construction/Remodeling		Voltage	120V/227V
DIAMETER	LED COLOR	WATTS	LUMENS	CRI	
17.7"	3000K	40W	3023 lm	90	

RQP-D60 | Square Pendant LED




Application		New Construction/Remodeling		Voltage	120V/227V
Diameter	LED Color	Watts	Lumens	CRI	
23.6"	3000K	60W	4700 lm	90	

RQP-D90 | Square Pendant LED



Application			Voltage	
New Construction/Remodeling			120V/227V	
Diameter	LED Color	Watts	Lumens	CRI
35.4"	3000K	120W	9600 lm	90

RQP-D120 | Square Pendant LED



Application		New Construction/Remodeling			Voltage	120V/227V
Diameter	LED Color	Watts	Lumens	CRI		
47.2 X 11.8"	3000K	60W	4700 lm	90		



lightandgreen.com