



Architectural Lighting

Craftmanship



Our Handcrafted LED Architectural Lighting Fixtures Set The Standard In Quality And Luxury. Light And Green's Manufacturing Formula Incorporates A Perfect Blend Of High Performance Components And Environmentally Friendly Materials. The Result Is A Seamless, Harmonious, Transformative Lighting Experience.

About Light & Green

Light And Green Is North America's Leading Manufacturer Of Plaster LED Architectural Lighting Fixtures. We Specialize In Modern, Minimalist, 100% Seamless, Trimless, Paintable Lighting Solutions Including Recessed Downlights, Recessed Wall Lights, Interior Accent Lighting, Knife-Edge Track Systems, And Linear Cove Lighting.

Why Plaster?

Plaster Is A High-Performance Building Material That Has Been Used Since Ancient Times, Dating Back To Ancient Egypt. Calcium, The Primary Component Of Plaster, Is The Fifth Most Abundant Mineral On Earth, Making It A Sustainable And Highly Recyclable Material. Plaster Is Also Resistant To Harsh Conditions Such As High Humidity, Heat, And Cold. Its Strength And Durability Make It Virtually Maintenance-Free. Most Interior Spaces Are Finished With Drywall Due To Its Flexibility, Safety, And Sustainability. Our Plaster Lighting Fixtures Are Engineered To Integrate Seamlessly With Drywall Surfaces. Because Both Materials Share The Same Composition, There Is No Conflict Between Materials resulting In A Flawless, Monolithic Installation With No Visible Separation Between Fixture And Surface.

Our Mission

Light And Green Is Committed To Delivering Differentiation And Design Excellence Through High-Performance, Energy-Efficient LED Technology And Sustainable Plaster Materials.

Learn more and find local support at: lightandgreen.com

**All images and sizes are for reference purposes only.*



JA8 TITLE 24 Compliant



Chicago Plenum Approved



IC Rated



Airtight



Recyclable



Damp Location



Wet Location Rated



ETL Listed



UL Listed



Class I



Class II



Indoor Light



Installation Opening




Installation Housing

HARMONY - Plaster Recessed Downlight	12
FOCUS - Plaster Recessed Downlight With Lens	28
HARMONY - Plaster Wall Recessed Steplight	30
HARMONY - Plaster Wall Recessed Bubble	36
LINEAR COVE - Plaster Recessed LED Cove	38
CYLINDER - Plaster Surface Mount Downlight	42
BOOST - Metal Recessed Downlight	44
NARROWLINE - Multi-Cell Recessed Downlight	58
MONO POINT - Surfaced Mounted & Recessed Decorative Spot Head	64
KNIFE EDGE - Track Light System	66
SCONCE - Metal Wall Sconce	74
RONDO - Ceiling Light	78

HARMONY - Plaster Recessed Downlight


NON ADJUSTABLE



LG-9018 (2")
PAGE 15



LG-9020 (2")
PAGE 15




LG-9001 (3")
PAGE 15



LG-9003 (3")
PAGE 15



LG-9013 (4")
PAGE 17



LG-9014 (4")
PAGE 17



LG-9015 (4")
PAGE 17



LG-9011 (3")
PAGE 19




LG-9012 (3")
PAGE 19

ADJUSTABLE



LG-9013A (4")
PAGE 21



LG-9014A (4")
PAGE 21



LG-9015A (4")
PAGE 21



LG-9011A (4")
PAGE 23



LG-9012A (4")
PAGE 23



LG-9111A (4")
PAGE 23



LG-9112A (4")
PAGE 23



LG-8001 (6")
PAGE 24



LG-8004 (6")
PAGE 24



LG-8005-1 (6")
PAGE 27



LG-8005-2 (6")
PAGE 27



LG-8005-3 (6")
PAGE 27


FOCUS - Plaster Recessed Downlight With Lens




LG-8016 (4")
PAGE 29



LG-8017 (8")
PAGE 29



LG-8018 (4")
PAGE 29



LG-8019 (8")
PAGE 29

HARMONY - Plaster Wall Recessed Step Light



LG-4002
PAGE 31



LG-4003
PAGE 31




LG-4004
PAGE 31



LG-4005
PAGE 31



LG-4006
PAGE 33



LG-4007
PAGE 33



LG-4008
PAGE 33



LG-4009
PAGE 33



LG-4010
PAGE 35



LG-4016
PAGE 35

HARMONY - Plaster Wall Recessed Bubble



LG-4013
PAGE 37



LG-4014
PAGE 37



LG-4015
PAGE 37

LINEAR COVE - Plaster Recessed LED Profile



LG-5001 (3')
PAGE 39



LG-5002
(1" Left End)
PAGE 39



LG-5003
(1" Right End)
PAGE 39



LG-5004
(Inside Corner)
PAGE 39



LG-5005
(Outside Corner)
PAGE 39



LG-5006
(Ceiling To Wall)
PAGE 39



LG-5007-1
(12" Circle)
PAGE 39



LG-5007-2
(24" Circle)
PAGE 39



LG-5007-3
(20" 1/4 Circle)
PAGE 39

CYLINDER - Plaster Surface Mount Downlight




LG-3001 (5")
PAGE 43




LG-3002 (5")
PAGE 43

BOOST - Metal Adjustable Trim/Trimless/Wood Recessed Downlight


TRIMLESS FOR DRYWALL



LG-9021 TL (3")
PAGE 45



LG-9022 TL (3")
PAGE 45



LG-9023 TL (3")
PAGE 45




LG-9024 TL (3")
PAGE 45




LG-9025 TL (3")
PAGE 47



LG-9021 TL (3")
PAGE 47



LG-9022 TL (3")
PAGE 47



LG-9023 TL (3")
PAGE 47



LG-9024 TL (3")
PAGE 49



LG-9025 TL (3")
PAGE 49

TRIMLESS FOR WOOD



LG-9021 W (3")
PAGE 57



LG-9022 W (3")
PAGE 57



LG-9023 W (3")
PAGE 57



LG-9021 W (4")
PAGE 56




LG-9022 W (3")
PAGE 57


TRIM FOR WOOD & DRYWALL




LG-9021 T (3")
PAGE 51




LG-9022 T (3")
PAGE 51



LG-9023 T (3")
PAGE 51




LG-9024 T (3")
PAGE 51




LG-9025 T (3")
PAGE 53




LG-9021 T (3'')
PAGE 53



LG-9022 T (3'')
PAGE 53



LG-9023 T (3'')
PAGE 53



LG-9024 T (3'')
PAGE 55




LG-9025 T (3'')
PAGE 55

NARROWLINE - Multi-Cell Recessed Downlight



LG-7001 (1x1)
PAGE 58



LG-7002 (1x2)
PAGE 59



LG-7005 (1x5)
PAGE 59



LG-7010 (1x10)
PAGE 59



LG-7012A (1x2)
PAGE 61



LG-7006A (1x6)
PAGE 61



LG-7012A (1x12)
PAGE 61



LG-7001TL (1x1)
PAGE 63



LG-7002TL (1x2)
PAGE 63



LG-7005TL (1x5)
PAGE 62



LG-7010TL (1x10)
PAGE 63

MONO POINT - Surfaced Mounted & Recessed Decorative Spot Head



LG-LD51488C-AL
PAGE 65



LG-LD51488C-AL
PAGE 65



LG-LD51488C-AL
PAGE 65



LG-LD51488-AB
PAGE 64



LG-LD51488-B
PAGE 65

KNIFE EDGE - Track Light System



LG-5008 (6.5')
PAGE 67



LG-5008W (6.5')
PAGE 67




LG-5008PW (6.5')
PAGE 67



LG-5008A
(3" Opening)
PAGE 67



LG-5008B
(6" Opening)
PAGE 67



LG-5008C
(Outside Corner)
PAGE 67



LG-5008
(Inside Corner)
PAGE 67



LG-5009
(For 3" Opening)
PAGE 69



LG-5010
(For 6" Opening)
PAGE 69

SCONCE - Metal Wall Sconce



LG-1036M (7")
PAGE 75



LG-1037M (10")
PAGE 75



LG-1038M (11")
PAGE 75



LG-1039M (7")
PAGE 75



LG-1041M (7")
PAGE 77




LG-1042M (10")
PAGE 77

RONDO - Ceiling Light

RECESSED



RR-D35 - RR-D125
(1' - 4')
PAGE 79



RQR-D35-RQR-D120
(1' - 4')
PAGE 82



RQSR-D35-RQSR-D120
(1' - 4')
PAGE 83

SURFACE MOUNT



RM-D35-RM-D125
(1' - 4')
PAGE 85



RQM-D35-RQM-D120
(1' - 4')
PAGE 87



RQSM-D35 - RQSM-D120
(1' - 4')
PAGE 89

SURFACE MOUNT

PENDANT



RP-D35-RP-D125
(1' - 4')
PAGE 93



RQP-D35 - RQP-D120
(1' - 4')
PAGE 95



RQSP-D35 - RQSP-D120
(1' - 4')
PAGE 98




HARMONY



Plaster Recessed Downlight




HARMONY
Plaster Recessed Downlight

LG-9001 | (3") Non- Adjustable Square


Application		New Construction/Remodeling		Voltage		120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS		95		
			13W	18W			
Standard	2700K 3000K 3500K 4000K	13/18W	1250 lm	1610 lm			
Warm Dim	1800K - 3000K		940 lm	1300 lm			
Tunable Dim	2700K - 6500K		910 lm				

LG-9003 | (3") Non - Adjustable Round

Application		New Construction/Remodeling		Voltage	120V/227V
LED TYPE	LED COLOR	WATTS	LUMENS		95
			13W	18W	
Standard	2700K 3000K 3500K 4000K	13/18W	1250 lm	1610 lm	
Warm Dim	1800K - 3000K		940 lm	1300 lm	
Tunable Dim	2700K - 6500K		910 lm		

LG-9018 | (2") Non - Adjustable Square

Application		New Construction/Remodeling		Voltage	120V/227V
LED TYPE	LED COLOR	WATTS	LUMENS		95
			13W	18W	
Standard	2700K 3000K 3500K 4000K	13/18W	1250 lm	1610 lm	
Warm Dim	1800K - 3000K		940 lm	1300 lm	
Tunable Dim	2700K - 6500K		910 lm		


LG-9020 | (2") Non - Adjustable Round

Application		New Construction/Remodeling		Voltage		120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS		95		
			13W	18W			
Standard	2700K 3000K 3500K 4000K	13/18W	1250 lm	1610 lm			
Warm Dim	1800K - 3000K		940 lm	1300 lm			
Tunable Dim	2700K - 6500K		910 lm				




HARMONY
Plaster Recessed Downlight

LG-9013 | (4") Non - Ajustable Square




Application		New Construction/Remodeling		Voltage		120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS		95		
			13W	18W			
Standard	2700K 3000K 3500K 4000K	13/18W	1250 lm	1610 lm			
Warm Dim	1800K - 3000K		940 lm	1300 lm			
Tunable Dim	2700K - 6500K		910 lm				

LG-9014 | (4") Non - Ajustable Round



Application		New Construction/Remodeling		Voltage		120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS		95		
			13W	18W			
Standard	2700K 3000K 3500K 4000K	13/18W	1250 lm	1610 lm			
Warm Dim	1800K - 3000K		940 lm	1300 lm			
Tunable Dim	2700K - 6500K		910 lm				

LG-9015 | (4") Non- Ajustable Trumpet




Application		New Construction/Remodeling		Voltage		120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS		95		
			13W	18W			
Standard	2700K 3000K 3500K 4000K	13/18W	1250 lm	1610 lm			
Warm Dim	1800K - 3000K		940 lm	1300 lm			
Tunable Dim	2700K - 6500K		910 lm				



HARMONY
Plaster Recessed Downlight


LG-9011 | (3") Non - Adjustable Double 1x2 Square



Application New Construction/Remodeling **Voltage** 120V/227V

LED TYPE	LED COLOR	WATTS	LUMENS		
			13W	18W	
Standard	2700K 3000K 3500K 4000K	2x 13/18W	2x1250 lm	2x1610 lm	95
Warm Dim	1800K - 3000K		2x940 lm	2x1300 lm	
Tunable Dim	2700K - 6500K		2x910 lm		


LG-9012 | (3") Non - Adjustable Double 1x2 Round



Application New Construction/Remodeling **Voltage** 120V/227V

LED TYPE	LED COLOR	WATTS	LUMENS		
			13W	18W	
Standard	2700K 3000K 3500K 4000K	2x 13/18W	2x1250 lm	2x1610 lm	95
Warm Dim	1800K - 3000K		2x940 lm	2x1300 lm	
Tunable Dim	2700K - 6500K		2x910 lm		


LG-9111 | (3") Non - Adjustable Triple 1x3 Square



Application New Construction/Remodeling **Voltage** 120V/227V

LED TYPE	LED COLOR	WATTS	LUMENS		
			13W	18W	
Standard	2700K 3000K 3500K 4000K	3x 13/18W	3x1250 lm	3x1610 lm	95
Warm Dim	1800K - 3000K		3x940 lm	3x1300 lm	
Tunable Dim	2700K - 6500K		3x910 lm		

LG-9112 | (3") Non - Adjustable 1x3 Round





Application New Construction/Remodeling **Voltage** 120V/227V

LED TYPE	LED COLOR	WATTS	LUMENS		
			13W	18W	
Standard	2700K 3000K 3500K 4000K	3x 13/18W	3x1250 lm	1610 lm	95
Warm Dim	1800K - 3000K		3x940 lm	1300 lm	
Tunable Dim	2700K - 6500K		3x910 lm		





HARMONY
Plaster Recessed Downlight

LG-9013A | (4") Adjustable Square




Application New Construction/Remodeling		Voltage 120V/227V		
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
Standard	2700K 3000K 3500K 4000K	13-18W	950 lm	95
			1250 lm	
			1800 lm	
Warm Dim	1800K - 3000K		940 lm	
Tunable Dim	2700K - 6500K		910 lm	

LG-9014A | (4") Adjustable Round



Application New Construction/Remodeling		Voltage 120V/227V		
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
Standard	2700K 3000K 3500K 4000K	13-18W	950 lm	95
			1250 lm	
			1800 lm	
Warm Dim	1800K - 3000K		940 lm	
Tunable Dim	2700K - 6500K		910 lm	


LG-9015A | (4") Adjustable Square




Application New Construction/Remodeling		Voltage 120V/227V		
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
Standard	2700K 3000K 3500K 4000K	13-18W	950 lm	95
			1250 lm	
			1800 lm	
Warm Dim	1800K - 3000K		940 lm	
Tunable Dim	2700K - 6500K		910 lm	




HARMONY
Plaster Recessed Downlight

LG-9011A-AC | (4") Adjustable Double 1x2 Square
Application New Construction/Remodeling **Voltage** 120V/227V


LED TYPE	LED COLOR	WATTS	LUMENS		
			13W	18W	
Standard	2700K 3000K 3500K 4000K	2x 13/18W	2x1250 lm	2x1610 lm	95
Warm Dim	1800K - 3000K		2x940 lm	2x1300 lm	
Tunable Dim	2700K - 6500K		2x910 lm		

LG-9012A-AC | (4") Adjustable Double 1x2 Round
Application New Construction/Remodeling **Voltage** 120V/227V

LED TYPE	LED COLOR	WATTS	LUMENS		
			13W	18W	
Standard	2700K 3000K 3500K 4000K	2x 13/18W	2x1250 lm	2x1610 lm	95
Warm Dim	1800K - 3000K		2x940 lm	2x1300 lm	
Tunable Dim	2700K - 6500K		2x910 lm		

LG-9111A-AC | (4") Adjustable Triple 1x3 Square
Application New Construction/Remodeling **Voltage** 120V/227V


LED TYPE	LED COLOR	WATTS	LUMENS		
			13W	18W	
Standard	2700K 3000K 3500K 4000K	3x 13/18W	3x1250 lm	3x1610 lm	95
Warm Dim	1800K - 3000K		3x940 lm	3x1300 lm	
Tunable Dim	2700K - 6500K		3x910 lm		

LG-9112A-AC | (4") Adjustable Triple 1x3 Round
Application New Construction/Remodeling **Voltage** 120V/227V

LED TYPE	LED COLOR	WATTS	LUMENS		
			13W	18W	
Standard	2700K 3000K 3500K 4000K	3x 13/18W	3x1250 lm	3x1610 lm	95
Warm Dim	1800K - 3000K		3x940 lm	3x1300 lm	
Tunable Dim	2700K - 6500K		3x910 lm		




LG-8001A | (6") Adjustable Flangeless Trumpet



Application New Construction/Remodeling		Voltage 120V/227V		
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
Standard	2700K 3000K 3500K 4000K	15W	1500 lm	95

LG-8004A | (6") Adjustable Flangeless Round




Application New Construction/Remodeling		Voltage 120V/227V		
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
Standard	2700K 3000K 3500K 4000K	15W	1500 lm	95




HARMONY
Plastered Recessed Downlight

LG-8005/1 | (6") Adjustable Flangeless Trumpet




Application New Construction/Remodeling		Voltage 120V/227V		
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
Standard	2700K	15W	1500 lm	95
	3000K			
	3500K			
	4000K			

LG-8004/2 | (6") Adjustable Flangeless 1x2 Square



Application New Construction/Remodeling		Voltage 120V/227V		
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
Standard	2700K	2x15W	2x1500 lm	95
	3000K			
	3500K			
	4000K			


LG-8005/3 | (6") Adjustable Flangeless 1x3 Square



Application New Construction/Remodeling		Voltage 120V/227V		
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
Standard	2700K	3x15W	3x1500 lm	95
	3000K			
	3500K			
	4000K			




LG-8016 | Trimless Plaster LED - 4" Round




Application		New Construction/Remodeling		Voltage	120V/227V
LED TYPE	LED COLOR	WATTS	LUMENS	CRI	
Epistar SMD LED	2700K 3000K	9W	900 lm	95	

LG-8017 | (6") Trimless Plaster LED - 8" Round




Application		New Construction/Remodeling			Voltage	120V/227V
LED TYPE	LED COLOR	WATTS	LUMENS		CRI	
Epistar SMD LED	2700K 3000K	18W	1300 lm		95	

LG-8018 | (4") Trimless Plaster LED - Square




Application		New Construction/Remodeling		Voltage		120V/227V			
LED TYPE		LED COLOR		WATTS		LUMENS		CRI	
Epistar SMD LED		2700K 3000K		9W		900 lm		95	

LG-8019 | (8") Trimless Plaster LED - Square




Application		New Construction/Remodeling		Voltage	120V/227V
LED TYPE	LED COLOR	WATTS	LUMENS	CRI	
Epistar SMD LED	2700K 3000K	18W	1300 lm	95	

LG-4002 | Harmony LED Step Light




Application		New Construction/Remodeling		Voltage		3Vdc	
LED TYPE	WATTS	LUMENS	CRI		DRIVER		
2700K 3000K	1W	80lm	90		Remote Driver 5 in 1 120v/277v		

LG-4003 | Harmony LED Step Light




Application		New Construction/Remodeling		Voltage		3Vdc	
LED TYPE		WATTS	LUMENS	CRI		DRIVER	
2700K 3000K		1W	80lm	90		Remote Driver 5 in 1 120v/277v	

LG-4004 | Harmony LED Step Light



Application		New Construction/Remodeling		Voltage		3Vdc	
LED TYPE		WATTS	LUMENS	CRI		DRIVER	
2700K 3000K		1W	80lm	90		Remote Driver 5 in 1 120v/277v	

LG-4005 | Harmony LED Step Light




Application		New Construction/Remodeling		Voltage	
				3Vdc	
LED TYPE	WATTS	LUMENS	CRI	DRIVER	
2700K 3000K	1W	80lm	90	Remote Driver 5 in 1 120v/277v	





HARMONY


Plaster Wall Recessed Step Light

LG-4006 | Harmony LED Step Light**Application** New Construction/Remodeling**Voltage** 3Vdc


LED TYPE	WATTS	LUMENS	CRI	DRIVER
2700K 3000K	1W	80lm	90	Remote Driver 5 in 1 120v/277v

LG-4007 | Harmony LED Step Light**Application** New Construction/Remodeling**Voltage** 3Vdc


LED TYPE	WATTS	LUMENS	CRI	DRIVER
2700K 3000K	1W	80lm	90	Remote Driver 5 in 1 120v/277v

LG-4008 | Harmony LED Wall Sconce**Application** New Construction/Remodeling**Voltage** 120V/227V


LED TYPE	WATTS	LUMENS	CRI	DRIVER
2700K 3000K	9W	750lm	90	In Fixture Included

LG-4009 | Harmony LED Step Light**Application** New Construction/Remodeling**Voltage** 9Vdc

LED TYPE	WATTS	LUMENS	CRI	DRIVER
2700K 3000K	3W	320lm	90	Remote Driver 5 in 1 120v/277v




LG-4010 | Harmony LED Step Light



Application			New Construction/Remodeling			Voltage		3Vdc	
LED TYPE		WATTS	LUMENS	CRI		DRIVER			
2700K 3000K		1W	80lm	90		Remote Driver 5 in 1 120v/277v			

LG-4016 | Harmony Wall Washer LED - Large




Application			New Construction/Remodeling			Voltage		9Vdc	
LED TYPE		WATTS	LUMENS	CRI		DRIVER			
2700K 3000K		3W	320lm	90		Remote Driver 5 in 1 120v/277v			




HARMONY
Plaster Wall Recessed Bubble

LG-4013 | Harmony Wall Washer LED - Small




Application		New Construction/Remodeling		Voltage		3Vdc	
LED TYPE	WATTS	LUMENS	CRI	DRIVER			
2700K 3000K	1W	80lm	90	Remote Driver 5 in 1 120v/277v			

LG-4014 | Harmony Wall Washer LED - Medium



Application		New Construction/Remodeling		Voltage		9Vdc	
LED TYPE	WATTS	LUMENS	CRI	DRIVER			
2700K 3000K	3W	3200lm	90				

LG-4015 | Harmony Wall Washer LED - Large



Application		New Construction/Remodeling		Voltage		9Vdc	
LED TYPE	WATTS	LUMENS	CRI	DRIVER			
2700K 3000K	3W	320lm	90	Remote Driver 5 in 1 120v/277v			


LINEAR COVE

Plaster Recessed Led Profile

38



LG-5001 | LED Profile





Application	New Construction/Remodeling
-------------	-----------------------------

For 5/8 Drywall
3' continuous plaster cove for LED tape
Field cuttable

* When painted with waterproof paint

LG-5002 | Left End Cup For 5/8 Drywall




LG-5003 | Right End Cup For 5/8 Drywall



LG-5004 | 90° Inside Corner For 5/8 Drywall

LG-5005 | 90° Inside Corner For 5/8 Drywall




LG-5006 | 90° Inside Corner For 5/8 Drywall




LG-5002 | 90° Inside Corner For 5/8 Drywall

LG-5002 | 90° Inside Corner For 5/8 Drywall

LG-5002 | 90° Inside Corner For 5/8 Drywall






LINEAR COVE Plaster Cove Housing designed as an all flushed mount application. With built in curves which hide the LED strip giving a clean light reflectance throughout the space. Field cuttable, no diffuser required. Available with various corner and side applications to enhance any interior design imagined. Cove housing are solid and handcrafted, made out of environmentally friendly green materials.






CYLINDER
Plaster Surface Mount Downlight

LG-3001 | 5" Cylinder



Application New Construction/Remodeling		Voltage 120V		
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
Standard GU10 LED MR16	2700K 3000K	6W	567 lm	90
Warm Dim GU10 LED MR16	1800K - 3000K		570 lm	

LG-3002 | 5" Cylinder





Application New Construction/Remodeling		Voltage 120V		
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
Standard GU10 LED MR16	2700K 3000K	6W	567 lm	90
Warm Dim GU10 LED MR16	1800K - 3000K		570 lm	

BOOST

Recessed Downlight





LG-9021TL (Black) | (3") Adjustable Square





Application		New Construction/Remodeling		Voltage		120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS				
			13W	18W			
Standard	2700K 3000K 3500K 4000K	13/18W	1250 lm	1610 lm			95
Warm Dim	1800K - 3000K		940 lm	1300 lm			
Tunable Dim	2700K - 6500K		2x910 lm				

LG-9022TL (Black) | (3") Adjustable 1x2 Square




Application		New Construction/Remodeling		Voltage		120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS		95		
			13W	18W			
Standard	2700K 3000K 3500K 4000K	2x 13/18W	2x1250 lm	2x1610 lm			
Warm Dim	1800K - 3000K		2x940 lm	2x1300 lm			
Tunable Dim	2700K - 6500K		2x910 lm				

LG-9023TL (Black) | (3") Adjustable 1x3 Square



Application		New Construction/Remodeling		Voltage		120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS		95		
			13W	18W			
Standard	2700K 3000K 3500K 4000K	3x 13/18W	3x1250 lm	3x1610 lm			
Warm Dim	1800K - 3000K		3x940 lm	3x1300 lm			
Tunable Dim	2700K - 6500K		3x910 lm				

LG-9024 TL (Black) | (3") Adjustable 1x4 Square




Application		New Construction/Remodeling		Voltage		120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS		95		
			13W	18W			
Standard	2700K 3000K 3500K 4000K	4x 13/18W	4x1250 lm	4x1610 lm			
Warm Dim	1800K - 3000K		4x940 lm	4x1300 lm			
Tunable Dim	2700K - 6500K		4x910 lm				

KURT GEIGER



BOOST
Recessed Downlight



LG-9025 TL (Black) | (3") Adjustable 1X5 Square



Application New Construction/Remodeling **Voltage** 120V/227V

LED TYPE	LED COLOR	WATTS	LUMENS		
			13W	18W	
Standard	2700K 3000K 3500K 4000K	5x 13/18W	5x1250 lm	5x1610 lm	95
Warm Dim	1800K - 3000K		5x940 lm	5x1300 lm	
Tunable Dim	2700K - 6500K		5x910 lm		



LG-9021TL (WHITE) | (3") Adjustable Square



Application New Construction/Remodeling **Voltage** 120V/227V

LED TYPE	LED COLOR	WATTS	LUMENS		
			13W	18W	
Standard	2700K 3000K 3500K 4000K	13/18W	1250 lm	1610 lm	95
Warm Dim	1800K - 3000K		940 lm	1300 lm	
Tunable Dim	2700K - 6500K		910 lm		



LG-9022TL (WHITE) | (3") Adjustable 1x2 Square



Application New Construction/Remodeling **Voltage** 120V/227V

LED TYPE	LED COLOR	WATTS	LUMENS		
			13W	18W	
Standard	2700K 3000K 3500K 4000K	2x 13/18W	2x1250 lm	2x1610 lm	95
Warm Dim	1800K - 3000K		2x940 lm	2x1300 lm	
Tunable Dim	2700K - 6500K		2x910 lm		

LG-9023TL (WHITE) | (3") Adjustable 1x3 Square





Application New Construction/Remodeling **Voltage** 120V/227V

LED TYPE	LED COLOR	WATTS	LUMENS		
			13W	18W	
Standard	2700K 3000K 3500K 4000K	3x 13/18W	3x1250 lm	3x1610 lm	95
Warm Dim	1800K - 3000K		3x940 lm	3x1300 lm	
Tunable Dim	2700K - 6500K		3x910 lm		




LG-9024TL (WHITE) | (3") Adjustable 1X4 Square



Application		New Construction/Remodeling		Voltage		120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS		95		
			13W	18W			
Standard	2700K 3000K 3500K 4000K	4x 13/18W	4x1250 lm	4x1610 lm			
Warm Dim	1800K - 3000K		4x940 lm	4x1300 lm			
Tunable Dim	2700K - 6500K		4x910 lm				

LG-9025TL (WHITE) | (3") Adjustable 1x5 Square





Application		New Construction/Remodeling		Voltage		120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS		95		
			13W	18W			
Standard	2700K 3000K 3500K 4000K	5x 13/18W	5x1250 lm	5x1610 lm			
Warm Dim	1800K - 3000K		5x940 lm	5x1300 lm			
Tunable Dim	2700K - 6500K		5x910 lm				





BOOST
Recessed Downlight

LG-9021T (Black) | (3") Adjustable Square





Application		New Construction/Remodeling		Voltage		120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS		95		
			13W	18W			
Standard	2700K 3000K 3500K 4000K	13/18W	1250 lm	1610 lm			
Warm Dim	1800K - 3000K		940 lm	1300 lm			
Tunable Dim	2700K - 6500K		910 lm				

LG-9022T (Black) | (3") Adjustable 1x2 Square




Application		New Construction/Remodeling		Voltage		120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS		95		
			13W	18W			
Standard	2700K 3000K 3500K 4000K	2x 13/18W	2x1250 lm	2x1610 lm			
Warm Dim	1800K - 3000K		2x940 lm	2x1300 lm			
Tunable Dim	2700K - 6500K		2x910 lm				

LG-9023T (Black) | (3") Adjustable 1x3 Square



Application		New Construction/Remodeling		Voltage	120V/227V
LED TYPE	LED COLOR	WATTS	LUMENS		95
			13W	18W	
Standard	2700K 3000K 3500K 4000K	3x 13/18W	3x1250 lm	3x1610 lm	
Warm Dim	1800K - 3000K		3x940 lm	3x1300 lm	
Tunable Dim	2700K - 6500K		3x910 lm		


LG-9024T (WHITE) | (3") Adjustable 1x4 Square



Application		New Construction/Remodeling		Voltage	120V/227V
LED TYPE	LED COLOR	WATTS	LUMENS		95
			13W	18W	
Standard	2700K 3000K 3500K 4000K	4x 13/18W	4x1250 lm	4x1610 lm	
Warm Dim	1800K - 3000K		4x940 lm	4x1300 lm	
Tunable Dim	2700K - 6500K		4x910 lm		





LG-9025T (Black) | (3") Adjustable 1x5 Square





Application		New Construction/Remodeling		Voltage		120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS				
			13W	18W			
Standard	2700K 3000K 3500K 4000K	5x 13/18W	1250 lm	1610 lm			95
Warm Dim	1800K - 3000K		940 lm	1300 lm			
Tunable Dim	2700K - 6500K		910 lm				

LG-9021T (WHITE) | (3") Adjustable Square





Application		New Construction/Remodeling		Voltage		120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS		95		
			13W	18W			
Standard	2700K 3000K 3500K 4000K	13/18W	1250 lm	1610 lm			
Warm Dim	1800K - 3000K		940 lm	1300 lm			
Tunable Dim	2700K - 6500K		910 lm				

LG-9022T (WHITE) | (3") Adjustable 1x2 Square



Application		New Construction/Remodeling		Voltage		120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS		95		
			13W	18W			
Standard	2700K 3000K 3500K 4000K	2x 13/18W	1250 lm	1610 lm			
Warm Dim	1800K - 3000K		940 lm	1300 lm			
Tunable Dim	2700K - 6500K		910 lm				



LG-9023T (WHITE) | (3") Adjustable 1x3 Square



Application		New Construction/Remodeling		Voltage		120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS		95		
			13W	18W			
Standard	2700K 3000K 3500K 4000K	3x 13/18W	1250 lm	1610 lm			
Warm Dim	1800K - 3000K		940 lm	1300 lm			
Tunable Dim	2700K - 6500K		910 lm				





LG-9024T (WHITE) | (3") Adjustable 1X4 Square



Application		New Construction/Remodeling		Voltage		120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS		95		
			13W	18W			
Standard	2700K 3000K 3500K 4000K	4x 13/18W	4x1250 lm	4x1610 lm			
Warm Dim	1800K - 3000K		4x940 lm	4x1300 lm			
Tunable Dim	2700K - 6500K		4x910 lm				


LG-9025T (WHITE) | (3") Adjustable 1x5 Square



Application		New Construction/Remodeling		Voltage		120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS		95		
			13W	18W			
Standard	2700K 3000K 3500K 4000K	5x 13/18W	5x1250 lm	5x1610 lm			
Warm Dim	1800K - 3000K		5x940 lm	5x1300 lm			
Tunable Dim	2700K - 6500K		5x910 lm				



LG-9021W (European Oak) | (3") Ajustable Square





Application New Construction/Remodeling

Voltage 120V/227V

LED TYPE	LED COLOR	WATTS	LUMENS		
			13W	18W	
Standard	2700K 3000K 3500K 4000K	13/18W	1250 lm	1610 lm	95
Warm Dim	1800K - 3000K		940 lm	1300 lm	
Tunable Dim	2700K - 6500K		910 lm		



LG-9021W (White) | (3") Adjustable 1x5 Square



Application New Construction/Remodeling **Voltage** 120V/227V

LED TYPE	LED COLOR	WATTS	LUMENS		
			13W	18W	
Standard	2700K 3000K 3500K 4000K	1x 13/18W	1250 lm	1610 lm	95
Warm Dim	1800K - 3000K		940 lm	1300 lm	
Tunable Dim	2700K - 6500K		910 lm		



LG-9022W (Black) | (3") Adjustable Square



Application New Construction/Remodeling **Voltage** 120V/227V

LED TYPE	LED COLOR	WATTS	LUMENS		
			13W	18W	
Standard	2700K 3000K 3500K 4000K	2x 13/18W	2x1250 lm	2x1610 lm	95
Warm Dim	1800K - 3000K		2x940 lm	2x1300 lm	
Tunable Dim	2700K - 6500K		2x910 lm		



LG-9023W (Natural Oak) | (3") Adjustable 1x3 Square



Application New Construction/Remodeling **Voltage** 120V/227V

LED TYPE	LED COLOR	WATTS	LUMENS		
			13W	18W	
Standard	2700K 3000K 3500K 4000K	3x 13/18W	3x1250 lm	3x1610 lm	95
Warm Dim	1800K - 3000K		3x940 lm	3x1300 lm	
Tunable Dim	2700K - 6500K		3x910 lm		

LG-9022W (Walnut) | (3") Adjustable 1x2 Square




Application New Construction/Remodeling **Voltage** 120V/227V

LED TYPE	LED COLOR	WATTS	LUMENS		
			13W	18W	
Standard	2700K 3000K 3500K 4000K	2x 13/18W	2x1250 lm	2x1610 lm	95
Warm Dim	1800K - 3000K		2x940 lm	2x1300 lm	
Tunable Dim	2700K - 6500K		2x910 lm		


NARROWLINE Multi-Cell Recessed Downlight




LG-7010 | Multiple Cell Narrow - 1x10 Square




Application New Construction/Remodeling		Voltage 120V/227V		
BEVEL COLOR	LED COLOR	WATTS	LUMENS	CRI
White	2700K 3000K 3500K 4000K	2X2W (4W)	1120 lm (20W) 10x2W	95
Black			1400 lm (20W) 10x2W	

LG-7002 | Multiple Cell Narrow - 1x2 Square


Application			Voltage	
New Construction/Remodeling			120V/227V	
BEVEL COLOR	LED COLOR	WATTS	LUMENS	CRI
White	2700K 3000K 3500K 4000K	2X2W (4W)	356 lm (4W) 2X2W	95
Black			256 lm (4W) 2X2W	

LG-7005 | Multiple Cell Narrow - 1x5 Square

Application			Voltage	
New Construction/Remodeling			120V/227V	
BEVEL COLOR	LED COLOR	WATTS	LUMENS	CRI
White	2700K 3000K 3500K 4000K	2X2W (4W)	856 lm (10W) 5x2W	95
Black			685 lm (10W) 5x2W	

LG-7010 | Multiple Cell Narrow - 1x10 Square

Application			Voltage	
New Construction/Remodeling			120V/227V	
BEVEL COLOR	LED COLOR	WATTS	LUMENS	CRI
White	2700K 3000K 3500K 4000K	2X2W (4W)	1120 lm (20W) 10x2W	95
Black			1400 lm (20W) 10x2W	

LG-7015 | Multiple Cell Narrow - 1x15 Square


Application			Voltage	
New Construction/Remodeling			120V/227V	
BEVEL COLOR	LED COLOR	WATTS	LUMENS	CRI
White	2700K 3000K 3500K 4000K	2X2W (4W)	2083 lm (30W) 15x2W	95
Black			1666 lm (30W) 15x2W	



NARROWLINE


Adjustable Recessed Downlight

LG-7003A | Narrow Recessed Downlight LED - 1x3 Square




Application New Construction/Remodeling		Voltage 120V/227V		
BEVEL COLOR	LED COLOR	WATTS	LUMENS	CRI
White	2700K 3000K 3500K 4000K	2X2W (4W)	685 lm (6W) 5X2W	95
Black			856 lm (6W) 2X2W	

LG-7006A | Narrow Recessed Downlight LED - 1x6 Square



Application New Construction/Remodeling		Voltage 120V/227V		
BEVEL COLOR	LED COLOR	WATTS	LUMENS	CRI
White	2700K 3000K 3500K 4000K	6X2W (4W)	685 lm (10W) 6X2W	95
Black			856 lm (10W) 6x2W	



LG-7012A | Narrow Recessed Downlight LED - 1x12 Square




Application New Construction/Remodeling		Voltage 120V/227V		
BEVEL COLOR	LED COLOR	WATTS	LUMENS	CRI
White	2700K 3000K 3500K 4000K	16X2W (4W)	1120 lm (20W) 12x2W	95
Black			1400 lm (20W) 12x2W	

NARROWLINE


Multi-Cell Recessed Downlight




Application	New Construction/Remodeling		Voltage	120V/227V
BEVEL COLOR	LED COLOR	WATTS	LUMENS	CRI
White	2700K 3000K 3500K	5X2W (10W)	856 lm (10W) 5x2W	95
Black	4000K		685 lm (10W) 5x2W	

LG-7001TL | Single Cell Narrow - Trimless 1x1 Square


Application New Construction/Remodeling			Voltage 120V/227V	
BEVEL COLOR	LED COLOR	WATTS	LUMENS	CRI
White	2700K 3000K 3500K 4000K	1X2W (2W)	203 lm (2W) 1X2W	95
Black			162 lm (2W) 1X2W	

LG-7002TL | Multiple Cell Narrow - Trimless 1x2 Square

Application New Construction/Remodeling			Voltage 120V/227V	
BEVEL COLOR	LED COLOR	WATTS	LUMENS	CRI
White	2700K 3000K 3500K 4000K	2X2W (4W)	356 lm (4W) 2X2W	95
Black			256 lm (4W) 2X2W	

LG-7010 | Multiple Cell Narrow - Trimless 1x10 Square

Application New Construction/Remodeling			Voltage 120V/227V	
BEVEL COLOR	LED COLOR	WATTS	LUMENS	CRI
White	2700K 3000K 3500K 4000K	10X2W (20W)	1400 lm (20W) 10x2W	95
Black			1120 lm (20W) 10x2W	

LG-7015 | Multiple Cell Narrow - Trimless 1x15 Square


Application New Construction/Remodeling			Voltage 120V/227V	
BEVEL COLOR	LED COLOR	WATTS	LUMENS	CRI
White	2700K 3000K 3500K 4000K	15X2W (30W)	2083 lm (30W) 15x2W	95
Black			1666 lm (30W) 15x2W	

MONO POINT

Headline Pending




LG-LD51488-AB (Antique Brass)




Application		New Construction/Remodeling		Voltage		120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS		CRI		
			13W	GU10 - MR16			
Standard	2700K	13W	950 lm	570 lm	90		
	3000K						
	3500K		1250 lm	570 lm			
	4000K						
Warm Dim	1800K - 3000K		940 lm	570 lm			

LG-LD51488C-AL (Graphite Gray)




Application New Construction/Remodeling		Voltage 120V/227V		
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
			7W GU10 - MR16	
Standard	2700K 3000K 3500K 4000K	7W	570 lm	90
Warm Dim	1800K - 3000K			

LG-LD51488C-AL (White)





Application New Construction/Remodeling		Voltage 120V/227V		
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
			7W GU10 - MR16	
Standard	2700K 3000K 3500K 4000K	7W	570 lm	90
Warm Dim	1800K - 3000K			

LG-LD51488C-AL (Jet Black)



Application New Construction/Remodeling		Voltage 120V/227V		
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
			7W GU10 - MR16	
Standard	2700K 3000K 3500K 4000K	7W	570 lm	90
Warm Dim	1800K - 3000K			

LG-LD51488-B (Brass)




Application New Construction/Remodeling		Voltage 120V/227V		
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
			7W GU10 - MR16	
Standard	2700K 3000K 3500K 4000K	7W	570 lm	90
Warm Dim	1800K - 3000K			

KNIFE EDGE
Track Light System

66




LG-5008 | Invisible Track Light System For Plaster




Application	New Construction/Remodeling	Aluminum Powder Coated
--------------------	-----------------------------	------------------------

6.5' continuous aluminum channel
for track light system
Field cuttable


LG-5008W | Invisible Track Light System For Wood




LG-5008PW | Invisible Track Light System For Plaster & Wood Combination




5008A
3" Opening




5008B
6" Opening




5008C
Inside Corner



5008C
Outside Corner



Instruction



A - Drywall Mud

B - Mudding Mesh Tape

C - Drywall Mud





KNIFE EDGE
Track Light System

LG-5009 | Adjustable Spot Head




Application New Construction/Remodeling		Voltage 120V/227V		
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
Standard	2700K	13-18W	950 lm	95
	3000K		1250 lm	
	3500K		1800 lm	
	4000K			
Warm Dim	1800K - 3000K		940 lm	
Tunable Dim	2700K - 6500K		910 lm	



LG-5010 | Adjustable Spot Head



Application New Construction/Remodeling		Voltage 120V/227V		
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
Standard	2700K	13-18W	1500 lm	95
	3000K			
	3500K			
	4000K			
RGBW	RGBW		2200 lm	90
			3200 lm	













LG-1036M | Soft Edge Square




Application New Construction/Remodeling			Voltage 120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
Epistar SMD LED	2700K 3000K	12W	220 lm	90

LG-1037M | Soft Edge Square




Application New Construction/Remodeling			Voltage 120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
Epistar SMD LED	2700K 3000K	18W	350 lm	90

LG-1038M | Soft Edge Rectangle



Application New Construction/Remodeling			Voltage 120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
Epistar SMD LED	2700K 3000K	18W	350 lm	90


LG-1039M | Soft Edge Rectangle



Application New Construction/Remodeling			Voltage 120V/227V	
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
Epistar SMD LED	2700K 3000K	12W	220 lm	90




LG-1041M | Soft Edge Round



Application New Construction/Remodeling		Voltage 120V/227V		
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
Epistar SMD LED	2700K 3000K	9W	570 lm	90



LG-1042M | Soft Edge Round



Application New Construction/Remodeling		Voltage 120V/227V		
LED TYPE	LED COLOR	WATTS	LUMENS	CRI
Epistar SMD LED	2700K 3000K	9W	570 lm	90




RR-D35 | Round Recessed LED




Application New Construction/Remodeling			Voltage 120V/227V	
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
13.8"	3000K	25W	1640 lm	90

RR-D65 | Round Recessed LED





Application New Construction/Remodeling			Voltage 120V/227V	
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
17.7"	3000K	60W	4690 lm	90

RR-D95 | Round Recessed LED



Application New Construction/Remodeling			Voltage 120V/227V	
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
37.4"	3000K	120W	10146 lm	90

RR-D125 | Round Recessed LED





Application New Construction/Remodeling			Voltage 120V/227V	
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
48"	3000K	180W	15151 lm	90







RR-D35 | Round Recessed LED





Application New Construction/Remodeling			Voltage 120V/227V	
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
13.8"	3000K	25W	1640 lm	90

RR-D65 | Round Recessed LED





Application New Construction/Remodeling			Voltage 120V/227V	
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
17.7"	3000K	60W	4690 lm	90

RR-D95 | Round Recessed LED





Application New Construction/Remodeling			Voltage 120V/227V	
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
37.4"	3000K	120W	10146 lm	90

RR-D125 | Round Recessed LED





Application New Construction/Remodeling			Voltage 120V/227V	
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
48"	3000K	180W	15151 lm	90

RQSR-D35 | Soft Edge Square Recessed LED





Application			New Construction/Remodeling		Voltage		120V/227V	
DIAMETER		LED COLOR		WATTS	LUMENS		CRI	
13.8"		3000K		25W	1700 lm		90	

RQSR-D45 | Soft Edge Square Recessed LED





Application			New Construction/Remodeling		Voltage		120V/227V	
DIAMETER		LED COLOR		WATTS	LUMENS		CRI	
17.7"		3000K		40W	3023 lm		90	

RQSR-D60 | Soft Edge Square Recessed LED




Application			New Construction/Remodeling		Voltage		120V/227V	
DIAMETER		LED COLOR		WATTS	LUMENS		CRI	
23.6"		3000K		60W	4700 lm		90	

RQSR-D90 | Soft Edge Square Recessed LED



Application			New Construction/Remodeling		Voltage		120V/227V	
DIAMETER		LED COLOR		WATTS	LUMENS		CRI	
35.4"		3000K		120W	9600 lm		90	

RQSR-D120 | Soft Edge Square Recessed LED




Application			New Construction/Remodeling		Voltage	120V/227V
Diameter	LED Color	Watts	Lumens	CRI		
47.2" X 11.8"	3000K	60W	4700 lm	90		




RONDO
Ceiling Light

RM-D35 | Round Surface Mount LED




Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
13.8"	3000K	25W	1640 lm	90

RM-D45 | Round Surface Mount LED




Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
17.7"	3000K	40W	2880 lm	90

RM-D65 | Round Surface Mount LED




Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
25.6"	3000K	60W	4690 lm	90

RM-D95 | Round Surface Mount LED



Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
37.4"	3000K	120W	9600 lm	90


RM-D125 | Round Surface Mount LED



Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
48"	3000K	180W	15151 lm	90




RQM-D35 | Square Surface Mount LED




Application			New Construction/Remodeling		Voltage		120V/227V	
DIAMETER		LED COLOR		WATTS	LUMENS		CRI	
13.8"		3000K		25W	1700 lm		90	

RQM-D45 | Square Surface Mount LED




Application			New Construction/Remodeling		Voltage		120V/227V	
DIAMETER		LED COLOR		WATTS	LUMENS		CRI	
17.7"		3000K		40W	3023 lm		90	

RQM-D60 | Square Surface Mount LED




Application			New Construction/Remodeling		Voltage		120V/227V	
DIAMETER		LED COLOR		WATTS	LUMENS		CRI	
23.6"		3000K		60W	4700 lm		90	

RQM-D90 | Square Surface Mount LED



Application			New Construction/Remodeling		Voltage		120V/227V	
DIAMETER		LED COLOR		WATTS	LUMENS		CRI	
35.4"		3000K		120W	9600 lm		90	

RQM-D120 | Square Surface Mount LED




Application			New Construction/Remodeling		Voltage		120V/227V	
DIAMETER		LED COLOR		WATTS	LUMENS		CRI	
47.2" X 11.8		3000K		60W	4700 lm		90	




RONDO
Ceiling Light

RQSM-D35 | Soft Edge Square Surface Mount LED




Application			Voltage	
New Construction/Remodeling			120V/227V	
Diameter	LED Color	Watts	Lumens	CRI
13.8"	3000K	25W	1700 lm	90

RQSM-D45 | Soft Edge Square Surface Mount LED




Application			New Construction/Remodeling		Voltage		120V/227V	
DIAMETER		LED COLOR		WATTS	LUMENS		CRI	
17.7"		3000K		40W	3023 lm		90	

RQSM-D60 | Soft Edge Square Surface Mount LED




Application			New Construction/Remodeling		Voltage		120V/227V	
DIAMETER		LED COLOR		WATTS	LUMENS		CRI	
23.6"		3000K		60W	4700 lm		90	

RSQM-D90 | Soft Edge Square Surface Mount LED



Application			New Construction/Remodeling		Voltage		120V/227V	
DIAMETER		LED COLOR		WATTS	LUMENS		CRI	
35.4"		3000K		120W	9600 lm		90	

RSQM-D120 | Soft Edge Square Surface Mount LED




Application			New Construction/Remodeling		Voltage	120V/227V	
DIAMETER		LED COLOR		WATTS	LUMENS		CRI
47.2" X 11.8		3000K		60W	4700 lm		90






RONDO The Recessed Shape, Installed Flush With The Ceiling, Draws Pools Of Unique Light Circles. Light Conquers Space, Enhances Its Beauty And Comfort, And Expands It In Line With A Modern Conception Of The Livable Space, Where Everything Responds To Carefully Planned Design Inspired By Innovation.

RP-D35 | Round Pendant LED




Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
13.8"	3000K	25W	1640 lm	90

RP-D45 | Round Pendant LED




Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
17.7"	3000K	40W	2880 lm	90

RP-D65 | Round Pendant LED




Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
25.6"	3000K	60W	4690 lm	90

RP-D95 | Round Pendant LED



Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
37.4"	3000K	120W	10146 lm	90


RQSR-D125 | Round Pendant LED



Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
48"	3000K	60W	15151 lm	90




RQP-D35 | Square Pendant LED




Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
13.8"	3000K	25W	1700 lm	90

RQP-D45 | Square Pendant LED




Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
17.7"	3000K	40W	3023 lm	90

RQP-D60 | Square Pendant LED





Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
23.6"	3000K	60W	4700 lm	90

RQP-D90 | Square Pendant LED



Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
35.4"	3000K	120W	9600 lm	90



RQP-D120 | Square Pendant LED



Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
47.2 X 11.8"	3000K	60W	4700 lm	90





RQP-D35 | Square Pendant LED





Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
13.8"	3000K	25W	1700 lm	90

RQP-D45 | Square Pendant LED





Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
17.7"	3000K	40W	3023 lm	90

RQP-D60 | Square Pendant LED




Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
23.6"	3000K	60W	4700 lm	90

RQP-D90 | Square Pendant LED



Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
35.4"	3000K	120W	9600 lm	90

RQP-D120 | Square Pendant LED



Application New Construction/Remodeling		Voltage 120V/227V		
DIAMETER	LED COLOR	WATTS	LUMENS	CRI
47.2 X 11.8"	3000K	60W	4700 lm	90



lightandgreen.com