


LG-5008

Aluminum Track for Plaster



Project Information:	Project Name:
Fixture Type:	Location:



KNIFE EDGE

Invisible Track Light System - for Plaster

Revolutionary Knife Edge invisible track light rail system. This versatile track system is field cuttable and can be used to finish drywall, wood or a combination of drywall and wood. Optional spot head lighting attachments for Knife Edge have a full range of mobility and are field changeable, allowing for placement adjustments throughout the rail system.

Optional LED lighting engine is high performance, low wattage provides outstanding reliability and color quality/consistency. 2700K, 3000K, 3500K, 4000K color temperatures are available with 95 CRI. Warm dim and tunable white LEDs are also available.

- Applications: track lighting, cove lighting, finishes for drop ceiling and soffit ceilings
- Fixtures are offered with a choice of spot, narrow flood or flood beam pattern
- Life Rated for 40,000 hours at 70% lumen maintenance
- All testing reports are based on published industry procedures




*Spot heads are NOT included and need to be ordered separately.

AVAILABLE PROFILES




5008
Linear




5008A
3" Opening



5008B
6" Opening



5008C
Inside Corner



5008D
Outside Corner

PRODUCT FEATURES

- Revolutionary flush mounted trimless & seamless design which offers consistent aesthetics
- Aluminum profile available in black and white color
- Easy installation for new construction and remodel applications
- Pre-made end caps, 3" or 6" inch opening "U" shapes available
- Pre-made corners, inside and outside
- Environmentally Friendly
- Rail can be used for architectural details
- Applications: Cove lighting, Edge Lighting, Custom pockets for HVAC, Tracks, Cameras, etc.
- Finishes for Drop ceilings, Soffit ceilings
- Field cuttable. Tightly secure flat side down. Use a high RPM fine toothed table saw to cut.
- Damp Location Rated



Aluminum Track for Plaster

Project Information:	Project Name:
Fixture Type:	Location:

Ordering Guide

LINEAR PROFILE

- LG - 5008 - 6.5' length*

GAP PROFILE

- ❑ 5008A - 3" Gap Profile
- ❑ 5008B - 6" Gap Profile

CORNER PROFILE

- ❑ 5008C - Inside Corner Profile
- ❑ 5008D - Outside Corner Profile

PROFILE COLOR

- ☐ WH - White
- ☐ BL - Black

*You will need to order one length per side for a channel

You only need to order one side for drop or soffit ceiling

Example Number

LG-5008 QTY 6

5008A QTY 2 5008B QTY

5008C QTY 1 5008D QTY 1

BL

[LG-5008-6](#) [5008A-2](#) [5008C-1](#) [5008D-1](#) [BL](#)

Order Number


LG-5008 QTY

5008A QTY ____ 5008B QTY ____

5008C QTY ____ 5008D QTY ____

LG-5008- 5008A- 5008B- 5008C- 5008D- _____

OPTIONAL ELECTRICIFIED CHANNEL AVAILABLE, SEE LG-5008E / LG-5008F SPEC SHEETS FOR MORE DETAIL



LG-5008

Aluminum Track for Plaster

Project Information:	Project Name:
Fixture Type:	Location:

Cove Lighting/Wall Wash

